BERRY STREET Burlington

BIBLIOGRAPHY: BURLINGTON SURVEY

North Burlington; South Burlington; Colchester Avenue and East Avenue, Fletcher Place, Mill Street, Nash Place, University Terrace; Adsit Court/Lafayette Place.

- Allen, Charles E. About Burlington, Vermont. Burlington, Vermont: Hobart J. Shanley & Co., 1905.
- Auld, Joseph. <u>Picturesque Burlington</u>. Burlington, Vermont: Free Press Association, 1894.
- Burlington Directory: (Various years: 1865-1962). Springfield,
 Massachusetts: H.A. Manning & Co.
- Carlough, Peter. <u>Bygone Burlington</u>. Burlington, Vermont: Queen City Printers, 1976.
- Child, Hamilton. <u>Gazetteer and Business Directory of Chittenden County</u>, Vermont, 1882-1883. Syracuse, New York: Journal Office, 1883.
- Chittenden County Historical Society Bulletin. Burlington, Vermont May, July, November 1972; December 1977; July 1981.
- Hemenway, Abby Maria. The Vermont Historical Gazetteer, Volume I. Burlington, Vermont: A. Hemenway, 1867.
- Mary Fletcher Comes Back. Burlington, Vermont, 1941.
- Rann, W.S. <u>History of Chittenden County Vermont</u>. Syracuse, New York: D. Mason & Co. Publishers, 1886.

MAPS:

Beers Atlas, 1869

Hopkins Map, 1890

Sanborn Insurance Maps, 1885, 1889, 1894, 1900, 1979

Surveyor: Karen Czaikowski, Summer 1983

NORTH BURLINGTON:

(Berry Street, Bright Street, Canfield Street, Charles Street Crowley Street, Derway Drive, Germain Street, Lakeview Terrace, Luck Street, Myrtle Street, Oak Street, Pomeroy Street, Poplar Street, Sherman Street, St. Louis Street, Staniford Road, Washington Street, Ward Street, Willow Street, Wilson Street.)

As lakeside commercial activity centered on Burlington Bay, the north-eastern shores of Lake Champlain remained undeveloped except for the few farms which took advantage of the rich Winooski River Valley soil. Family's such as the Derways, Stanifords and Crockers owned large acreage in far north Burlington from the latter 18th century well into the 19th century. A few structures exist from the late 1800's farms (#148, 240 Staniford Road) but only one is extant from the early 19th century, a Greek Revival style house (c.1820) near Appletree Point, an extension of the early Staniford Farm. This property was always used for farming, as was much of north Burlington, until the 1920's when lots were sectioned for suburban development and summer camps.

North Avenue, the highway connecting the far north farmlands with north Burlington, experienced the most architectural growth during the 19th century, especially after the completion of the trolley line in 1888. As lakeside factory development increased, so did the housing need for the immigrant French Canadian, Irish, and German workers. Outside of downtown Burlington and east, into the available farm land, streets such as Ward, Crowley, Washington and Strong began to fill lots with vernacular Queen Anne style housing. The ethnic neighborhoods maintained a cultural bond among their residents, with the establishment of community centers such as the Goethe Lodge (c.1891) on Crowley Street. The hall built by the German contractor, Oscar Heininger for his laborers and friends, operates as a club today.

Though not as isolated as the far northern sections of Burlington, the area north of Pearl Street was sparsely settled with farm houses into the late 1800's. Eventually parcels of land were sold to create Pomeroy, Germain and Wilson Streets, which came from Pomeroy, Dodge and Loomis farmland. The Shaw family sold their land to create Willow, Oak and Walnut Streets. Architectural development was greatest from the 1890's to 1920, but continued well into the 1930's and 1940's on most of these north end streets.

Across North Avenue on the lakeside, property purchased by the Vermont Central Railroad in the 1860's was sold to local north end contractors, such as the Kieslich's, Heininger's and Hauke's. Lakeview Terrace (known previously as the Bissell Street until the 1890's) had a few late 19th century houses scattered on a hill above the lake (#37, 131, 134 Lakeview Terrace.) By 1906, the Kieslich Construction Company had established a lumber warehouse and a model house at the south end of the street near Haswell and Canfield Streets (#71-73 Lakeview Terrace.) Housing growth continued north on Lakeview Terrace during the 1920's - 1940's going around the corner to Berry Street. Except for Sunset Court, a small 1940's deadend street a block north, only the Lakeview Terrace neighborhood commands a residential view of the lake in north Burlington. Later into the 1950's and 1960's the far north end would take advantage of the lake's vista for suburban housing.

NORTH BURLINGTON PAGE 2

Building in north Burlington during the twentieth century is checkered as new development is scattered between existing 19th century structures. It was the far north end where entire neighborhoods could by developed on the open farmlands and where planned development continues today.

Surveyor: Karen Czaikowski

Date: August 1983



STATE OF VERMONT
Division for Historic Preservation

UTM REFERENCES:
Zone/Easting/Northing

Montpelier, VT 05602	18/641080/4927320
HISTORIC SITES & STRUCTURES SURVEY Individual Structure Survey Form	U.S.G.S. QUAD, MAP: Burlington 7.5
	PRESENT FORMAL NAME: Andrew Fortin HOuse
COUNTY: Chittenden	ORIGINAL FORMAL NAME:
TOWN: Burlington	Joseph Fortin House
LOCATION: 3 Berry Street, Corner of Berry	PRESENT USE: House
Street and Lakeview Terrace.	ORIGINAL USE:
	ARCHITECT/ENGINEER:
COMMON NAME:	Unknown
	BUILDER/CONTRACTOR:
FUNCTIONAL TYPE: House	Makagua
	PHYSICAL CONDITION OF STRUCTURE:
OWNER: Andrew Fortin	Excellent Good
ADDRESS: 3 Berry Street	Fair Poor
Burlington, VT 05401 ACCESSIBILITY TO PUBLIC:	raii rooi
ACCESSIBILITY TO PUBLIC:	C/03/7 77
Yes No Restricted	STYLE: Dutch Colonial Revival DATE BUILT:
LEVEL OF SIGNIFICANCE:	
Local State National GENERAL DESCRIPTION:	1920
Structural System	Congrete Block
	Concrete Concrete Block
2. Wall Structure	
a. Wood Frame: Post & Bea	mi Barroon ****
b. Load Bearing Masonry:	Brick ☐ Stone ☐ Concrete ☐
Concrete Block	
c. Iron□ d. Steel□ e.	Other:
3. Wall Covering: Clapboard	Board & Batten Wood Shingle
Shiplap Novelty Ask	pestos Shingle Sheet Metal
Aluminum Asphalt Shing	le Brick Veneer Stone Veneer
	Other:
4. Roof Structure	
a. Truss: Wood Iron	Steel Concrete C
b. Other:	
5. Roof Covering: Slate Wo	ood Shingle Asphalt Shingle Rolled Tile Other:
Sheet Metal Built Up	Rolled Tile Other:
6. Engineering Structure:	
7. Other:	
Appendages: Porches Towers C	Cupolas Dormers Chimneys
Sheds Ells Wings Bay Win	ndow Other:
Roof Style: Gable Hip Shed	Flat Mansard Gambrel
Jerkinhead☐ Saw Tooth☐ With M	Monitor□ With Bellcast□
With Parapet□ With False Front	□ Other:
Number of Stories:	
Number of Bays: 3 v 2	Entrance Location: Gable front, ri
Approximate Dimensions: 18 x 20	
THREAT TO STRUCTURE:	LOCAL ATTITUDES:
No Threat Zoning Roads	Positive Negative
Development Deterioration	Mixed Other:
Alteration Other:	

SURVEY NUMBER: 0402 NEGATIVE FILE NUMBER:

UTM REFERENCES:

83-A-89

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:	
Two story, gambrel roof house with cornice returns, and east side shed done with 1/1 sash window. Front porch with turned posts, added wrought iron rated and paneled skirt. 1/1 sash windows with plain surrounds. Rear shed additionable with west side entrance porch with turned post. Large original eastside picture window with integral 4 paned transom. Aluminum siding (1983).	
RELATED STRUCTURES: (Describe)	
STATEMENT OF SIGNIFICANCE:	
Berry Street was established with the building of this house in 1920 by the present occupant's father. This well-preserved Dutch Colonial Revival house altered only by aluminum siding (1983) and wrought iron porch railing, is one of few Dutch Colonial houses in the immediate neighborhood.	e e
REFERENCES: Burlington Directory, 1920. Interview with Andrew Fortin. 6/8/83.	
MAP: (Indicate North in Circle) SURROUNDING ENVIRONMENT	
Open Land Woodland Scattered Buildings Moderately Built Up Densely Built Up Residential Commercial Agricultural Industrial Roadside Strip Development	$\neg 1$
GERRY STREET 3 Other:	
RECORDED BY: KAREN CZAIKOWSKI ORGANIZATION: DIVISION FOR HISTORIC PRESERVATION DATE RECORDED:	
JUNE 8 1983	

SURVEY NUMBER: 0402 NEGATIVE FILE NUMBER: 83-A-89 UTM REFERENCES: STATE OF VERMONT Zone/Easting/Northing Division for Historic Preservation Montpelier, VT 05602 18/641100/4927325 U.S.G.S. QUAD. MAP: HISTORIC SITES & STRUCTURES SURVEY Burlington 7.5 Individual Structure Survey Form PRESENT FORMAL NAME: Kerry Crosby House ORIGINAL FORMAL NAME: Chittenden COUNTY: Burlington Guy K. Haynes House TOWN: LOCATION: 5 Berry Street, About 250' PRESENT USE: House from corner of North Avenue, ORIGINAL USE: --ARCHITECT/ENGINEER: COMMON NAME: Unknown BUILDER/CONTRACTOR: FUNCTIONAL TYPE: House Unknown PHYSICAL CONDITION OF STRUCTURE: OWNER: Kerry & Karen Crosby Good 🌌 Excellent ADDRESS: 5 Berry Street Burlington, VT 05401
ACCESSIBILITY TO PUBLIC:
Yes No Restricted Fair□ Poor Restricted [STYLE: Vernacular DATE BUILT: LEVEL OF SIGNIFICANCE: National 1929 Local State GENERAL DESCRIPTION: Structural System Stone Brick Concrete Concrete Block 1. Foundation: Wall Structure Post & Beam Balloon Wood Frame: Load Bearing Masonry: Brick Stone Concrete Concrete Block□ Other: Iron d. Steel . e. C. Clapboard Board & Batten Wood Shingle Wall Covering: Shiplap Novelty Asbestos Shingle Sheet Metal Aluminum Asphalt Shingle Brick Veneer Stone Veneer Other: Bonding Pattern: Roof Structure a. Truss: Wood Iron Steel Concrete b. Other: Roof Covering: Slate Wood Shingle Asphalt Shingle Sheet Metal Built Up Rolled Tile Other: Engineering Structure: Other: Dormer Chimney Appendages: Porches Towers Cupolas Sheds Ells Wings Bay Window Other: Roof Style: Gable | Hip Shed | Flat | Mansard | Gambrel | Jerkinhead Saw Tooth With Monitor With Bellcast With Parapet With False Front Other: $2^{\frac{1}{2}}$ Number of Stories: Entrance Location: Front left Number of Bays: Approximate Dimensions: 18 x 24 LOCAL ATTITUDES: THREAT TO STRUCTURE: Positive Negative No Threat ☐ Zoning ☐ Roads ☐ Mixed□ Other: Development□ Deterioration□ Alteration Other:

ADDITIONAL ARCHITECTURAL OF	
ADDITIONAL ARCHITECTURAL OR 5 Two story, hip roof, rectangular center hip roof dormer with thre with battered posts, 1/1 sash wi sided skirt.	STRUCTURAL DESCRIPTION: r plan house with projecting box cornice, and ee over one window. Front enclosed porch indows, projecting box cornice and aluminum
West side tripartite window with windows. Aluminum siding (1983)	vertical panes in upper sash. 6/1 sash
RELATED STRUCTURES: (Describe	e)
STATEMENT OF SIGNIFICANCE:	structure was the second of two houses to
in the late 1920's by creating Be	foor culminated the Lakeview Terrace extension erry Street.
REFERENCES:	
Burlington Directory, 1929.	
MAP: (Indicate North in Circle	SURROUNDING ENVIRONMENT:
	Scattered Buildings Moderately Built Up Densely Built Up
BERRY STREET	Residential Commercial Agricultural Industrial Roadside Strip Development
S S S S S S S S S S S S S S S S S S S	RECORDED BY: KAREN CZAIKOWSKI
<u> </u>	DIVISION FOR HISTORIC PRESERVATION DATE RECORDED:
	JUNE 8, 1983