

HENRY STREET



OF VERMONT
 Division for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

SURVEY NUMBER:
NEGATIVE FILE NUMBER: 78-A-200
UTM REFERENCES: Zone/Easting/Northing
U.S.G.S. QUAD. MAP:
PRESENT FORMAL NAME:
ORIGINAL FORMAL NAME:
PRESENT USE:
ORIGINAL USE: residence
ARCHITECT/ENGINEER:
BUILDER/CONTRACTOR: Paul Bonnette
PHYSICAL CONDITION OF STRUCTURE: Excellent <input checked="" type="checkbox"/> Good <input type="checkbox"/> Fair <input type="checkbox"/> Poor <input type="checkbox"/>
THEME:
STYLE: Queen Anne
DATE BUILT: c. 1896

COUNTY: Chittenden
TOWN: Burlington
LOCATION: 10-12 Henry St.
COMMON NAME:
FUNCTIONAL TYPE: dwelling
OWNER: Edith G. & Charles W. McLane
ADDRESS: 3 Mount Mansfield Avenue Winooski, Vt.
ACCESSIBILITY TO PUBLIC: Yes <input type="checkbox"/> No <input type="checkbox"/> Restricted <input type="checkbox"/>
LEVEL OF SIGNIFICANCE: Local <input type="checkbox"/> State <input type="checkbox"/> National <input type="checkbox"/>

GENERAL DESCRIPTION:

Structural System

- Foundation: Stone Brick Concrete Concrete Block
- Wall Structure
 - Wood Frame: Post & Beam Balloon
 - Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - Iron d. Steel e. Other:
- Wall Covering: Clapboard Board & Batten Wood Shingle Shiplap Novelty Stucco Sheet Metal Aluminum Asphalt Shingle Brick Veneer Stone Veneer Bonding Pattern: Other:
- Roof Structure
 - Truss: Wood Iron Steel Concrete
 - Other:
- Roof Covering: Slate Wood Shingle Asphalt Shingle Sheet Metal Built Up Rolled Tile Other:
- Engineering Structure:
- Other:

Appendages: Porches Towers Cupolas Dormers Chimneys Sheds Ells Wings Other:

Roof Style: Gable Hip Shed Flat Mansard Gambrel Jerkinhead Saw Tooth With Monitor With Bellcast With Parapet With False Front Other:

Number of Stories: 2 1/2

Number of Bays: _____ Entrance Location: _____

Approximate Dimensions: _____

THREAT TO STRUCTURE:

No Threat Zoning Roads Development Deterioration Alteration Other:

LOCAL ATTITUDES:

Positive Negative Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION

Massing - T-plan. Main block is gable ended with 2 story intersecting gable end projection. 2 story veranda, 1 x 2 bays. Enclosed porch on rear elevation. Entrance porch.

Fenestration - 2/2 sash. Plain trim.

Entrance - 2, on either side of projection. Queen Anne doors.

Enrichments - lattice work beneath veranda. Corner boarding, turned posts, canted butt shingles in gable.

RELATED STRUCTURES: (Describe)

STATEMENT OF SIGNIFICANCE:

This house was probably built in 1894 for James J. Kennedy, an employee of Hagar Hardware. Kennedy had previously rented from developer Paul Bonnette at #122 N. Willard, across the street, and apparently Bonnette was the builder of this new structure. This was the first house erected on Henry St., and set the tone for the future as a modest middle class dwelling.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Roadside Strip Development
- Other:

RECORDED BY:

C. Richard Morsbach

ORGANIZATION:

VT Div. for Historic Preservation

DATE RECORDED:

7/26/78



STATE OF VERMONT
 Division for Historic Preservation
 Montpelier, VT 05602
 HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

SURVEY NUMBER: _____
 NEGATIVE FILE NUMBER:
 78-A-201
 UTM REFERENCES:
 Zone/Easting/Northing _____
 U.S.G.S. QUAD. MAP: _____
 PRESENT FORMAL NAME:
 Henry Street Market
 ORIGINAL FORMAL NAME: _____
 PRESENT USE:
 store/apartments
 ORIGINAL USE:
 bakery
 ARCHITECT/ENGINEER: _____
 BUILDER/CONTRACTOR: _____
 PHYSICAL CONDITION OF STRUCTURE:
 Excellent Good
 Fair Poor
 THEME:
 Queen Anne
 STYLE:
 DATE BUILT: _____

COUNTY: Chittenden
 TOWN: Burlington
 LOCATION: 13 Henry St.
 COMMON NAME: Muntaha
 FUNCTIONAL TYPE: store/dwelling
 OWNER: Salamin & Handy
 ADDRESS: 95 Pleasant Avenue

ACCESSIBILITY TO PUBLIC:
 Yes No Restricted
 LEVEL OF SIGNIFICANCE:
 Local State National

GENERAL DESCRIPTION:
 Structural System
 1. Foundation: Stone Brick Concrete Concrete Block
 2. Wall Structure
 a. Wood Frame: Post & Beam Balloon Stone Concrete
 b. Load Bearing Masonry: Brick Stone Concrete
 c. Iron d. Steel e. Other:
 Concrete Block Board & Batten Wood Shingle
 3. Wall Covering: Shiplap Novelty Brick Veneer Stone Veneer Aluminum
 Asphalt Shingle Stucco Sheet Metal
 Bonding Pattern: Brick Veneer Stone Veneer Other:
 4. Roof Structure
 a. Truss: Wood Iron Steel Concrete
 b. Other:
 Wood Shingle Asphalt Shingle
 5. Roof Covering: Slate Wood Shingle Asphalt Shingle
 Sheet Metal Built Up Rolled Tile Other:
 6. Engineering Structure:
 Other:
 Towers Cupolas Dormers Chimneys
 Appendages: Porches Wings Other:
 Sheds Ells Hip Shed Flat Mansard Gambrel
 Roof Style: Gable Saw Tooth With Monitor With Bellcast
 Jerkinhead With False Front Other:
 With Parapet
 Number of Stories: 2 1/2
 Number of Bays: _____
 Approximate Dimensions: _____ Entrance Location: _____

THREAT TO STRUCTURE:
 No Threat Zoning Roads
 Development Deterioration
 Other: _____

LOCAL ATTITUDES:
 Positive Negative
 Mixed Other: _____

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION

Massing - gable end orientation. 2 story shed addition on west elevation. 2 story veranda on facade. Enclose stairs on east elevation. Store front window with transom lights.

Fenestration - 1/1 sash. Plain trim.

Entrance - Center. Modern, aluminum store door.

Enrichments - turned posts on veranda. Canted butt shingles in gable.

RELATED STRUCTURES: (Describe)


STATEMENT OF SIGNIFICANCE:

This simple structure was originally constructed as a bakery for William Badger in 1905. Except for several years of vacancy, it has been a neighborhood market since 1910.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Roadside Strip Development
- Other:

RECORDED BY:

C. Richard Morsbach

ORGANIZATION:

HT Div. for Historic Preservation

DATE RECORDED:

7/28/78



STATE OF VERMONT
 Department for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

SURVEY NUMBER:
 NEGATIVE FILE NUMBER:
 78-A-200
 UTM REFERENCES:
 Zone/Easting/Northing
 U.S.G.S. QUAD. MAP:
 PRESENT FORMAL NAME:
 ORIGINAL FORMAL NAME:
 PRESENT USE: apartment
 ORIGINAL USE: residence
 ARCHITECT/ENGINEER:
 BUILDER/CONTRACTOR:
 PHYSICAL CONDITION OF STRUCTURE:
 Excellent Good
 Fair Poor
 STYLE: Queen Anne
 DATE BUILT: c. 1900

COUNTY: Chittenden
 TOWN: Burlington
 LOCATION: 16 Henry St.
 COMMON NAME:
 FUNCTIONAL TYPE: dwelling
 OWNER: Bernard R. & Anita Cummings
 ADDRESS: 136 Hood St.
 Winooski, Vt.
 ACCESSIBILITY TO PUBLIC:
 Yes No Restricted
 LEVEL OF SIGNIFICANCE:
 Local State National
 GENERAL DESCRIPTION:

Structural System
 1. Foundation: Stone Brick Concrete Concrete Block
 2. Wall Structure
 a. Wood Frame: Post & Beam Balloon
 b. Load Bearing Masonry: Brick Stone Concrete
 Concrete Block
 c. Iron d. Steel e. Other:
 3. Wall Covering: Clapboard Board & Batten Wood Shingle
 Shiplap Novelty Asbestos Shingle Sheet Metal
 Aluminum Asphalt Shingle Brick Veneer Stone Veneer
 Bonding Pattern: Other:
 4. Roof Structure
 a. Truss: Wood Iron Steel Concrete
 b. Other:
 5. Roof Covering: Slate Wood Shingle Asphalt Shingle
 Sheet Metal Built Up Rolled Tile Other:
 6. Engineering Structure:
 7. Other:
 Appendages: Porches Towers Cupolas Dormers Chimneys
 Sheds Ells Wings Bay Window Other:
 Roof Style: Gable Hip Shed Flat Mansard Gambrel
 Jerkinhead Saw Tooth With Monitor With Bellcast
 With Parapet With False Front Other:
 Number of Stories: 2½
 Number of Bays: _____ Entrance Location: _____
 Approximate Dimensions: _____

THREAT TO STRUCTURE:
 No Threat Zoning Roads
 Development Deterioration
 Alteration Other:

LOCAL ATTITUDES:
 Positive Negative
 Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - Pedimented gable end orientation. Rectangular block with canted corners on facade. 2 story canted bay window terminating in pedimented gable on west facade. 2 story projection of east elevation terminating in pedimented gable. 2 x 3 bay veranda. 2 bay side porch.

Fenestration - 1/1 sash. Plain trim with cornice cap.

Entrance - Right. Queen Anne door.

Enrichments - Corner boarding and semi circular shingles in gable. Lattice work beneath veranda turned posts with panels.

RELATED STRUCTURES: (Describe)


STATEMENT OF SIGNIFICANCE:

This stylish Queen Anne dwelling is representative of turn of the century middle class residences in Burlington, and typifies the character of Henry St. It was built in 1900 for Albert C. Lowry, a watchmaker and optician.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

Open Land Woodland
Scattered Buildings
Moderately Built Up
Densely Built Up
Residential Commercial
Agricultural Industrial
Roadside Strip Development
Other:

RECORDED BY:


C. Richard Morsbach

ORGANIZATION:

VT. Div. for Historic Preservation

DATE RECORDED:

7/26/78



STATE OF VERMONT
 Division for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

SURVEY NUMBER:
 NEGATIVE FILE NUMBER:
 78-A-201
 UTM REFERENCES:
 Zone/Easting/Northing
 U.S.G.S. QUAD. MAP:
 PRESENT FORMAL NAME:
 ORIGINAL FORMAL NAME:
 PRESENT USE: residence
 ORIGINAL USE: residence
 ARCHITECT/ENGINEER:
 BUILDER/CONTRACTOR:
 PHYSICAL CONDITION OF STRUCTURE:
 Excellent Good
 Fair Poor
 STYLE: Queen Anne
 DATE BUILT: c. 1900

COUNTY: Chittenden
 TOWN: Burlington
 LOCATION:
 17 Henry St.
 COMMON NAME:
 FUNCTIONAL TYPE: dwelling
 OWNER: Ernest D., Edith M., Delma H.
 ADDRESS: Murray
 17 Henry St.
 ACCESSIBILITY TO PUBLIC:
 Yes No Restricted
 LEVEL OF SIGNIFICANCE:
 Local State National
 GENERAL DESCRIPTION:

Structural System
 1. Foundation: Stone Brick Concrete Concrete Block
 2. Wall Structure
 a. Wood Frame: Post & Beam Balloon
 b. Load Bearing Masonry: Brick Stone Concrete
 Concrete Block
 c. Iron d. Steel e. Other:
 3. Wall Covering: Clapboard Board & Batten Wood Shingle
 Shiplap Novelty Asbestos Shingle Sheet Metal
 Aluminum Asphalt Shingle Brick Veneer Stone Veneer
 Bonding Pattern: Other:
 4. Roof Structure
 a. Truss: Wood Iron Steel Concrete
 b. Other:
 5. Roof Covering: Slate Wood Shingle Asphalt Shingle
 Sheet Metal Built Up Rolled Tile Other:
 6. Engineering Structure:
 7. Other:
 Appendages: Porches Towers Cupolas Dormers Chimneys
 Sheds Ells Wings Bay Window Other:
 Roof Style: Gable Hip Shed Flat Mansard Gambrel
 Jerkinhead Saw Tooth With Monitor With Bellcast
 With Parapet With False Front Other:
 Number of Stories: 2½
 Number of Bays: _____ Entrance Location: _____
 Approximate Dimensions: _____

THREAT TO STRUCTURE:
 No Threat Zoning Roads
 Development Deterioration
 Alteration Other:

LOCAL ATTITUDES:
 Positive Negative
 Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - gable end orientation. Pent eave across gable forms pediment. L shape plan with one story wing on rear. 1 x 2 bay veranda on facade. Rear porch.

Fenestration - 1/1 sash. Plain surround.

Entrance - Right. Queen Anne styled door.

Enrichments - chamfered posts with brackets and lattice work beneath veranda.

RELATED STRUCTURES: (Describe)


STATEMENT OF SIGNIFICANCE:

This subdued Queen Anne is similar to other residential houses along the street by virtue of its style, scale and massing. These similarities create a cohesive streetscape. Distinctive to this house is its pronounced setting by means of a raised foundation. It was probably built c. 1900 for George W. Chandler, a clerk.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

Open Land Woodland
Scattered Buildings
Moderately Built Up
Densely Built Up
Residential Commercial
Agricultural Industrial
Roadside Strip Development
Other:

RECORDED BY:
C. Richard Morsbach

ORGANIZATION:
VT. Div. for Historic Preservation

DATE RECORDED:
7/28/78



STATE OF VERMONT
 Division for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

SURVEY NUMBER:
 NEGATIVE FILE NUMBER:
 78-A-200
 UTM REFERENCES:
 Zone/Easting/Northing
 U.S.G.S. QUAD. MAP:
 PRESENT FORMAL NAME:
 ORIGINAL FORMAL NAME:
 Frederick Wright Residence
 PRESENT USE: residence
 ORIGINAL USE: residence
 ARCHITECT/ENGINEER:
 BUILDER/CONTRACTOR:
 PHYSICAL CONDITION OF STRUCTURE:
 Excellent Good
 Fair Poor
 STYLE: Shingle
 DATE BUILT: 1901

COUNTY: Chittenden
 TOWN: Burlington
 LOCATION:
 22 Henry St.
 COMMON NAME:
 FUNCTIONAL TYPE: dwelling
 OWNER: David A. Scrase and Mary E.
 ADDRESS: Martin
 22 Henry St.
 ACCESSIBILITY TO PUBLIC:
 Yes No Restricted
 LEVEL OF SIGNIFICANCE:
 Local State National
 GENERAL DESCRIPTION:

Structural System
 1. Foundation: Stone Brick Concrete Concrete Block
 2. Wall Structure
 a. Wood Frame: Post & Beam Balloon
 b. Load Bearing Masonry: Brick Stone Concrete
 Concrete Block
 c. Iron d. Steel e. Other:
 3. Wall Covering: Clapboard Board & Batten Wood Shingle
 Shiplap Novelty Asbestos Shingle Sheet Metal
 Aluminum Asphalt Shingle Brick Veneer Stone Veneer
 Bonding Pattern: Other:
 4. Roof Structure
 a. Truss: Wood Iron Steel Concrete
 b. Other:
 5. Roof Covering: Slate Wood Shingle Asphalt Shingle
 Sheet Metal Built Up Rolled Tile Other:
 6. Engineering Structure:
 7. Other:
 Appendages: Porches Towers Cupolas Dormers Chimneys
 Sheds Ells Wings Bay Window Other:
 Roof Style: Gable Hip Shed Flat Mansard Gambrel
 Jerkinhead Saw Tooth With Monitor With Bellcast
 With Parapet With False Front Other:
 Number of Stories: 2½
 Number of Bays: _____ Entrance Location: _____
 Approximate Dimensions: _____

THREAT TO STRUCTURE:
 No Threat Zoning Roads
 Development Deterioration
 Alteration Other:

LOCAL ATTITUDES:
 Positive Negative
 Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - gable end orientation. Asymmetrical plan. Cropped eaves on facade gable. Flat roofed, two story canted bay window on west facade. Enclosed porch on second story facade with lunette cut-out. 1 x 2 bay veranda on facade. Wall dormer on east elevation. Intersecting gable on west elevation. Fenestration - 1/1, diamond came, and round headed windows. Plain trim. Entrance - Left. Queen Anne door with light and decorative knob. Enrichments - lattice work beneath veranda. Turned posts with brackets.

RELATED STRUCTURES: (Describe)

STATEMENT OF SIGNIFICANCE:

This house mixes elements of the shingle style, Queen Anne and Colonial Revival. These combinations form an interesting house. Its front and side yard set backs are similar to adjacent houses as is its scale and massing; all of these elements contribute to a cohesive street environment. It was built in 1901 for Frederick B. Wright, a postal clerk.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

Open Land Woodland
Scattered Buildings
Moderately Built Up
Densely Built Up
Residential Commercial
Agricultural Industrial
Roadside Strip Development
Other:

RECORDED BY:

C. Richard Morsback

ORGANIZATION:

VT Div. for Historic Preservation

DATE RECORDED:

7/26/78



STATE OF VERMONT
 Division for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

SURVEY NUMBER:

NEGATIVE FILE NUMBER:
 78-A-200

UTM REFERENCES:
 Zone/Easting/Northing

U.S.G.S. QUAD. MAP:

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE: residence

ORIGINAL USE: residence

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

Paul Bonnette

PHYSICAL CONDITION OF STRUCTURE:

Excellent Good

Fair Poor

STYLE: Queen Anne/Colonial Revival

DATE BUILT:

COUNTY: Chittenden

TOWN: Burlington

LOCATION:
 26 Henry St.

COMMON NAME:

FUNCTIONAL TYPE: dwelling

OWNER: Clifford H. & Phyllis F. Dubile
 ADDRESS: 26 Henry St.

ACCESSIBILITY TO PUBLIC:
 Yes No Restricted

LEVEL OF SIGNIFICANCE:
 Local State National

GENERAL DESCRIPTION:

Structural System

1. Foundation: Stone Brick Concrete Concrete Block

2. Wall Structure

a. Wood Frame: Post & Beam Balloon

b. Load Bearing Masonry: Brick Stone Concrete
 Concrete Block

c. Iron d. Steel e. Other:

3. Wall Covering: Clapboard Board & Batten Wood Shingle
 Shiplap Novelty Asbestos Shingle Sheet Metal
 Aluminum Asphalt Shingle Brick Veneer Stone Veneer

Bonding Pattern: Other:

4. Roof Structure

a. Truss: Wood Iron Steel Concrete

b. Other:

5. Roof Covering: Slate Wood Shingle Asphalt Shingle

Sheet Metal Built Up Rolled Tile Other:

6. Engineering Structure:

7. Other:

Appendages: Porches Towers Cupolas Dormers Chimneys

Sheds Ells Wings Bay Window Other:

Roof Style: Gable Hip Shed Flat Mansard Gambrel

Jerkinhead Saw Tooth With Monitor With Bellcast

With Parapet With False Front Other:

Number of Stories: 2 1/2

Number of Bays: _____

Entrance Location: _____

Approximate Dimensions: _____

THREAT TO STRUCTURE:

No Threat Zoning Roads

Development Deterioration

Alteration Other:

LOCAL ATTITUDES:

Positive Negative

Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - squarish block with 2 story canted corner bay terminating in pedimented gable. One story shed addition on rear. 1 x 2 bay veranda on facade. Boxed cornice.

Fenestration - segmental arched window openings with standing brick voussoirs. Dormers on east & west facade. 1/1 sash.

Entrance - Center. Queen Anne door with square light.

Enrichments - lattice work beneath veranda. Wrought iron posts (not original) Corvetto butt shingles in bay window gable.

RELATED STRUCTURES: (Describe)


STATEMENT OF SIGNIFICANCE:

This late Queen Anne also has elements of the Colonial Revival. The two story, pedimented, canted bay window is typically Queen Anne while the massing, roof and hipped dormers are Colonial Revival. Through scale, massing and orientation, this house makes a significant contribution to the cohesiveness of this turn of the century residential street. 26 Henry St. is a good example of the high quality residential housing in Burlington. It was built in 1902 for Thomas Stapleton, who worked at the Burlington Rendering Co.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)




SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Roadside Strip Development
- Other:

RECORDED BY:
C. Richard Morsbach

ORGANIZATION:
VT Div. for Historic Preservation

DATE RECORDED:
7/26/78



STATE OF VERMONT
 Division for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

SURVEY NUMBER:
NEGATIVE FILE NUMBER: 78-A-200
UTM REFERENCES: Zone/Easting/Northing
U.S.G.S. QUAD. MAP:
PRESENT FORMAL NAME:
ORIGINAL FORMAL NAME: Warren A. Rowell residence
PRESENT USE:
ORIGINAL USE: residence
ARCHITECT/ENGINEER:
BUILDER/CONTRACTOR: Paul Bonnette
PHYSICAL CONDITION OF STRUCTURE: Excellent <input type="checkbox"/> Good <input checked="" type="checkbox"/> Fair <input type="checkbox"/> Poor <input type="checkbox"/>
THEME:
STYLE: Colonial Revival
DATE BUILT: c. 1902

COUNTY:	Chittenden
TOWN:	Burlington
LOCATION:	30 Henry St.
COMMON NAME:	
FUNCTIONAL TYPE:	dwelling
OWNER:	Robert J. & Jo Jimmo
ADDRESS:	30 Henry St.
ACCESSIBILITY TO PUBLIC: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Restricted <input type="checkbox"/>	
LEVEL OF SIGNIFICANCE: Local <input checked="" type="checkbox"/> State <input type="checkbox"/> National <input type="checkbox"/>	

GENERAL DESCRIPTION:

Structural System

- Foundation: Stone Brick Concrete Concrete Block
- Wall Structure
 - Wood Frame: Post & Beam Balloon
 - Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - Iron d. Steel e. Other:
- Wall Covering: Clapboard Board & Batten Wood Shingle Shiplap Novelty Stucco Sheet Metal Aluminum Asphalt Shingle Brick Veneer Stone Veneer Bonding Pattern: Other:
- Roof Structure
 - Truss: Wood Iron Steel Concrete
 - Other:
- Roof Covering: Slate Wood Shingle Asphalt Shingle Sheet Metal Built Up Rolled Tile Other:
- Engineering Structure:
- Other:

Appendages: Porches Towers Cupolas Dormers Chimneys Sheds Ells Wings Other:

Roof Style: Gable Hip Shed Flat Mansard Gambrel Jerkinhead Saw Tooth With Monitor With Bellcast With Parapet With False Front Other:

Number of Stories: 2½

Number of Bays: _____ Entrance Location: _____

Approximate Dimensions: _____

THREAT TO STRUCTURE:
 No Threat Zoning Roads
 Development Deterioration
 Alteration Other:

LOCAL ATTITUDES:
 Positive Negative
 Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION

Massing - square block with dormers on facade, east and west elevations. Clap-boarded shed addition on rear.

Fenestration - arched window openings with standing voussoirs. 1/1 sash. Paired window in facade dormer.

Entrance - center, Colonial Revival, dutch door.

RELATED STRUCTURES: (Describe)


STATEMENT OF SIGNIFICANCE:

Except for the absence of the bay window, this house is nearly identical to its neighbor, #26 in massing. Built at the same time and by the same builder these similarities are justifiably apparent. This house makes a significant contribution to the cohesiveness of the street environment by virtue of its similar massing and scale. It was built in 1902 for Warren Rowell, manager of the Burlington Tallow Co., and typifies turn-of-the-century middle class homes in Burlington.

REFERENCES:

Sanborns, Directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Roadside Strip Development
- Other:

RECORDED BY:


C. Richard Morsbach

ORGANIZATION:

VT Div. for Historic Preservation

DATE RECORDED:

7/26/78



OF VERMONT

Division for Historic Preservation
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

SURVEY NUMBER:
NEGATIVE FILE NUMBER: 78-A-200
UTM REFERENCES: Zone/Easting/Northing
U.S.G.S. QUAD. MAP:
PRESENT FORMAL NAME:
ORIGINAL FORMAL NAME: James Kennedy Residence
PRESENT USE: residence
ORIGINAL USE: residence
ARCHITECT/ENGINEER:
BUILDER/CONTRACTOR: Paul Bonnette
PHYSICAL CONDITION OF STRUCTURE: Excellent <input checked="" type="checkbox"/> Good <input type="checkbox"/> Fair <input type="checkbox"/> Poor <input type="checkbox"/>
THEME:
STYLE: Colonial Revival
DATE BUILT: c. 1899

COUNTY: Chittenden
TOWN: Burlington
LOCATION: 36 Henry St.
COMMON NAME:
FUNCTIONAL TYPE: dwelling
OWNER: Denise P. Brault
ADDRESS: 36 Henry St.
ACCESSIBILITY TO PUBLIC: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Restricted <input type="checkbox"/>
LEVEL OF SIGNIFICANCE: Local <input checked="" type="checkbox"/> State <input type="checkbox"/> National <input type="checkbox"/>

GENERAL DESCRIPTION:

Structural System

1. Foundation: Stone Brick Concrete Concrete Block
2. Wall Structure
 - a. Wood Frame: Post & Beam Balloon
 - b. Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - c. Iron d. Steel e. Other:
3. Wall Covering: Clapboard Board & Batten Wood Shingle Shiplap Novelty Stucco Sheet Metal Aluminum Asphalt Shingle Brick Veneer Stone Veneer Bonding Pattern: Other:
4. Roof Structure
 - a. Truss: Wood Iron Steel Concrete
 - b. Other:
5. Roof Covering: Slate Wood Shingle Asphalt Shingle Sheet Metal Built Up Rolled Tile Other:
6. Engineering Structure:
7. Other:

Appendages: Porches Towers Cupolas Dormers Chimneys Sheds Ells Wings Other:

Roof Style: Gable Hip Shed Flat Mansard Gambrel Jerkinhead Saw Tooth With Monitor With Bellcast With Parapet With False Front Other:

Number of Stories: 2 1/2

Number of Bays:

Entrance Location:

Approximate Dimensions:

THREAT TO STRUCTURE:

No Threat Zoning Roads Development Deterioration Alteration Other:

LOCAL ATTITUDES:

Positive Negative Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION

Massing - square block with 2 story bay terminating in pedimented gable on west elevation. 3 x 3 bay veranda. Dormer on facade.
Fenestration - 1/1 and Queen Anne sash. Plain trim.
Entrance - Queen Anne door with large square light.
Enrichments - bracketed cornice. Turned posts. Lattice work beneath veranda.

RELATED STRUCTURES: (Describe)

1 bay, gable ended, novelty sided, garage.

STATEMENT OF SIGNIFICANCE:


This frame Colonial Revival is similar in massing and scale to others of its type throughout Burlington. This was a popular building type and style and illustrates well the high quality of housing being erected in Burlington, at the turn of the century. Through its sympathetic scale and massing the house fits into the residential character of the street.

It was built for James J. Kennedy, a Hagar Hardware employee. Kennedy had previously rented an apartment from Paul Bonnett at the foot of Henry Street (#122 North Willard), and had built #10 Henry St. in partnership with Bonnett in 1896. After living there for two years, he had this new residence built. Presumably he employed Paul Bonnett as the builder. Kennedy and Bonnett typified the close-knit middle class character of the Henry St. neighborhood.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

Open Land Woodland
Scattered Buildings
Moderately Built Up
Densely Built Up
Residential Commercial
Agricultural Industrial
Roadside Strip Development
Other:

RECORDED BY:


C. Richard Morsbach

ORGANIZATION:

VT. Div. for Historic Preservation

DATE RECORDED:

7/26/78



STATE OF VERMONT
 Division for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

SURVEY NUMBER:
NEGATIVE FILE NUMBER: 78-A-200
UTM REFERENCES: Zone/Easting/Northing
U.S.G.S. QUAD. MAP:
PRESENT FORMAL NAME:
ORIGINAL FORMAL NAME:
PRESENT USE: residence
ORIGINAL USE: residence
ARCHITECT/ENGINEER:
BUILDER/CONTRACTOR:
PHYSICAL CONDITION OF STRUCTURE: Excellent <input type="checkbox"/> Good <input checked="" type="checkbox"/> Fair <input type="checkbox"/> Poor <input type="checkbox"/>
THEME:
STYLE: Queen Anne/Colonial Revival
DATE BUILT: c. 1897

COUNTY: Chittenden
TOWN: Burlington
LOCATION: 40 Henry St.
COMMON NAME:
FUNCTIONAL TYPE: dwelling
OWNER: Grodon S. & Stella M. Coop
ADDRESS: 50 Randy Lane Burlington, Vt.
ACCESSIBILITY TO PUBLIC: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Restricted <input type="checkbox"/>
LEVEL OF SIGNIFICANCE: Local <input checked="" type="checkbox"/> State <input type="checkbox"/> National <input type="checkbox"/>

GENERAL DESCRIPTION:

Structural System

- Foundation: Stone Brick Concrete Concrete Block
- Wall Structure
 - Wood Frame: Post & Beam Balloon
 - Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - Iron d. Steel e. Other:
- Wall Covering: Clapboard Board & Batten Wood Shingle Shiplap Novelty Stucco Sheet Metal Aluminum Asphalt Shingle Brick Veneer Stone Veneer Bonding Pattern: Other:
- Roof Structure
 - Truss: Wood Iron Steel Concrete
 - Other:
- Roof Covering: Slate Wood Shingle Asphalt Shingle Sheet Metal Built Up Rolled Tile Other:
- Engineering Structure:
- Other:

Appendages: Porches Towers Cupolas Dormers Chimneys Sheds Ells Wings Other:

Roof Style: Gable Hip Shed Flat Mansard Gambrel Jerkinhead Saw Tooth With Monitor With Bellcast With Parapet With False Front Other:

Number of Stories: 2 1/2

Number of Bays: _____ Entrance Location: _____

Approximate Dimensions: _____

THREAT TO STRUCTURE:
 No Threat Zoning Roads Development Deterioration Alteration Other:

LOCAL ATTITUDES:
 Positive Negative Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION JN

Massing - rectangular block with 2 story canted bay window on west elevation terminating in pedimented gable. Gable wall dormer on facade. 1 x 2 bay veranda on facade and 1 x 1 bay side porch. Flat roofed ell on rear.

Fenestration - 1/1 sash plain surround.

Entrance - Right. Queen Anne door with square light.

Enrichments - turned posts on porches. Lattice work beneath veranda.

RELATED STRUCTURES: (Describe)


STATEMENT OF SIGNIFICANCE:

This house has elements of both the Queen Anne and the Colonial Revival. The vestiges of a bay window on the facade (a popular Queen Anne design motif) can be seen in the pedimented wall dormer on the facade. This house is significant because of the contribution it makes to the character of this residential street. It was built in 1897 for V. T. Niles, a driver for the Burlington & Winooski House Railway.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Roadside Strip Development
- Other:

RECORDED BY:


C. Richard Morshbach

ORGANIZATION:

VT Div. for Historic Preservation

DATE RECORDED:

7/26/78



Division for Historic Preservation
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

COUNTY: Chittenden
TOWN: Burlington
LOCATION: 51 Henry St.
COMMON NAME:
FUNCTIONAL TYPE: dwelling
OWNER: Maurice F. & Jeanne M.
ADDRESS: Mahoney
384 College St., Burlington
ACCESSIBILITY TO PUBLIC:
Yes No Restricted
LEVEL OF SIGNIFICANCE:
Local State National

SURVEY NUMBER:
NEGATIVE FILE NUMBER:
UTM REFERENCES:
Zone/Easting/Northing
U.S.G.S. QUAD. MAP:
PRESENT FORMAL NAME:
ORIGINAL FORMAL NAME:
PRESENT USE: apartment
ORIGINAL USE: residence
ARCHITECT/ENGINEER:
BUILDER/CONTRACTOR:
PHYSICAL CONDITION OF STRUCTURE:
Excellent Good
Fair Poor
THEME:
STYLE: Queen Anne
DATE BUILT: c. 1900

GENERAL DESCRIPTION:
Structural System
1. Foundation: Stone Brick Concrete Concrete Block
2. Wall Structure
a. Wood Frame: Post & Beam Balloon
b. Load Bearing Masonry: Brick Stone Concrete
Concrete Block
c. Iron d. Steel e. Other:
3. Wall Covering: Clapboard Board & Batten Wood Shingle
Shiplap Novelty Stucco Sheet Metal Aluminum
Asphalt Shingle Brick Veneer Stone Veneer
Bonding Pattern: Other:
4. Roof Structure
a. Truss: Wood Iron Steel Concrete
b. Other:
5. Roof Covering: Slate Wood Shingle Asphalt Shingle
Sheet Metal Built Up Rolled Tile Other:
6. Engineering Structure:
7. Other:
Appendages: Porches Towers Cupolas Dormers Chimneys
Sheds Ells Wings Other:
Roof Style: Gable Hip Shed Flat Mansard Gambrel
Jerkinhead Saw Tooth With Monitor With Bellcast
With Parapet With False Front Other:
Number of Stories: 2½
Number of Bays: _____ Entrance Location: _____
Approximate Dimensions: _____

THREAT TO STRUCTURE:
No Threat Zoning Roads
Development Deterioration
Alteration Other:

LOCAL ATTITUDES:
Positive Negative
Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION

Massing - gable end orientation. Pent eave on gable. 1 x 3 bay veranda. L plan.
Addition in rear. Boxed cornice.
Fenestration - 1/1 sash, plain trim.
Entrance - Left. Queen Anne door with square light.
Enrichments - lattice work beneath veranda, turned posts with brackets, canted butt and fishscale shingles in gable.

RELATED STRUCTURES: (Describe)

1 bay, gable ended, clapboarded garage.


STATEMENT OF SIGNIFICANCE:

This house fits in well with the residential character of the street. The large veranda, shade trees and orientation are all suggestive of residential repose. 51 Henry Street is a fine example of the high quality of housing throughout Burlington. Built in 1900, the first owner was Dennis Parady, the janitor at the U. V. M. Medical School.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Roadside Strip Development
- Other:

RECORDED BY:

C. Richard Morsbach

ORGANIZATION:

VT Div. for Historic Preservation

DATE RECORDED:

7/26/78



Division for Historic Preservation
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

SURVEY NUMBER:
NEGATIVE FILE NUMBER: 78-A-200
UTM REFERENCES: Zone/Easting/Northing
U.S.G.S. QUAD. MAP:
PRESENT FORMAL NAME:
ORIGINAL FORMAL NAME:
PRESENT USE: residence
ORIGINAL USE: residence
ARCHITECT/ENGINEER:
BUILDER/CONTRACTOR:
PHYSICAL CONDITION OF STRUCTURE: Excellent <input type="checkbox"/> Good <input checked="" type="checkbox"/> Fair <input type="checkbox"/> Poor <input type="checkbox"/>
THEME:
STYLE: Queen Anne
DATE BUILT: c. 1900

COUNTY: Chittenden
TOWN: Burlington
LOCATION: 52 Henry St.
COMMON NAME:
FUNCTIONAL TYPE: dwelling
OWNER: Lenore F. Broughton
ADDRESS:
ACCESSIBILITY TO PUBLIC: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Restricted <input type="checkbox"/>
LEVEL OF SIGNIFICANCE: Local <input checked="" type="checkbox"/> State <input type="checkbox"/> National <input type="checkbox"/>

GENERAL DESCRIPTION:

Structural System

- Foundation: Stone Brick Concrete Concrete Block
- Wall Structure
 - Wood Frame: Post & Beam Balloon
 - Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - Iron d. Steel e. Other:
- Wall Covering: Clapboard Board & Batten Wood Shingle Shiplap Novelty Stucco Sheet Metal Aluminum Asphalt Shingle Brick Veneer Stone Veneer Bonding Pattern: Other:
- Roof Structure
 - Truss: Wood Iron Steel Concrete
 - Other:
- Roof Covering: Slate Wood Shingle Asphalt Shingle Sheet Metal Built Up Rolled Tile Other:
- Engineering Structure:
- Other:

Appendages: Porches Towers Cupolas Dormers Chimneys Sheds Ells Wings Other:

Roof Style: Gable Hip Shed Flat Mansard Gambrel Jerkinhead Saw Tooth With Monitor With Bellcast With Parapet With False Front Other:

Number of Stories: _____

Number of Bays: _____

Approximate Dimensions: _____

Entrance Location: _____

THREAT TO STRUCTURE: No Threat <input type="checkbox"/> Zoning <input type="checkbox"/> Roads <input type="checkbox"/> Development <input type="checkbox"/> Deterioration <input type="checkbox"/> Alteration <input type="checkbox"/> Other:	LOCAL ATTITUDES: Positive <input type="checkbox"/> Negative <input type="checkbox"/> Mixed <input type="checkbox"/> Other:
---	--

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION

Massing - Square block with corner tower and west elevation 2 story bay terminating in a pedimented gable. Tower is topped by a polygonal roof. 2 x 3 bay veranda.

Fenestration - 1/1 and Queen Anne sash. Plain trim.

Entrance - Queen Anne styled door with large square light.

Enrichments - bracketed cornice. Fishscale shingles. Turned posts. Lattice work beneath veranda.

RELATED STRUCTURES: (Describe)


STATEMENT OF SIGNIFICANCE:

Various elements in this house are Colonial Revival though the overall character is Queen Anne. The hipped roof, dormer windows and block massing are Colonial Revival. Distinctive and significant to this house is the tower that dominates the mass, providing a focal point. This tower is a popular Queen Anne device as is the bay window on the facade. The house fits in to the residential character of the street and illustrates the high quality of housing in Burlington. It was built in 1900 for William D. Pope, a clerk in the City Drug Store on Church St.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Roadside Strip Development
- Other:

RECORDED BY:

C. Richard Morsbach

ORGANIZATION:

VI Div. for Historic Preservation

DATE RECORDED:

7/26/78



STATE OF VERMONT
 Division for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

SURVEY NUMBER: _____

NEGATIVE FILE NUMBER: _____

UTM REFERENCES:
 Zone/Easting/Northing _____

U.S.G.S. QUAD. MAP: _____

PRESENT FORMAL NAME: _____

ORIGINAL FORMAL NAME: _____

PRESENT USE: _____

ORIGINAL USE: residence

ARCHITECT/ENGINEER: _____

BUILDER/CONTRACTOR: _____

PHYSICAL CONDITION OF STRUCTURE:
 Excellent Good
 Fair Poor

STYLE: _____ Queen Anne

DATE BUILT: _____ c. 1900

COUNTY: Chittenden

TOWN: Burlington

LOCATION:
 53 Henry St.

COMMON NAME: _____

FUNCTIONAL TYPE: dwelling

OWNER: Jane F. Melnick

ADDRESS: _____

ACCESSIBILITY TO PUBLIC:
 Yes No Restricted

LEVEL OF SIGNIFICANCE:
 Local State National

GENERAL DESCRIPTION:

Structural System

1. Foundation: Stone Brick Concrete Concrete Block
2. Wall Structure
 - a. Wood Frame: Post & Beam Balloon
 - b. Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - c. Iron d. Steel e. Other: _____
3. Wall Covering: Clapboard Board & Batten Wood Shingle Shiplap Novelty Asbestos Shingle Sheet Metal Aluminum Asphalt Shingle Brick Veneer Stone Veneer Bonding Pattern: _____ Other: _____
4. Roof Structure
 - a. Truss: Wood Iron Steel Concrete
 - b. Other: _____
5. Roof Covering: Slate Wood Shingle Asphalt Shingle Sheet Metal Built Up Rolled Tile Other: _____
6. Engineering Structure: _____
7. Other: _____

Appendages: Porches Towers Cupolas Dormers Chimneys Sheds Ells Wings Bay Window Other: _____

Roof Style: Gable Hip Shed Flat Mansard Gambrel Jerkinhead Saw Tooth With Monitor With Bellcast With Parapet With False Front Other: _____

Number of Stories: 2½

Number of Bays: _____ Entrance Location: _____

Approximate Dimensions: _____

THREAT TO STRUCTURE:
 No Threat Zoning Roads Development Deterioration Alteration Other: _____

LOCAL ATTITUDES:
 Positive Negative Mixed Other: _____

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - gable end orientation. Rectangular block with two story wing and pedimented, intersecting gable on west elevation. 2 x 3 bay veranda. Boxed cornice.

Entrance - Left. Queen Anne door with square light.

Fenestration - 1/1 sash. Plain trim.

Enrichments - Lattice work beneath porch. Chamfered posts with brackets, beaded corner boarding, canted butt shingles.

RELATED STRUCTURES: (Describe)


STATEMENT OF SIGNIFICANCE:

This house is similar in design to #51. Though subdued in "whimsical" Queen Anne detail this reflects its late building date and the conservative nature of many Queen Anne houses in Burlington. The house makes a significant contribution to the residential character and cohesiveness of the street. It was built at the turn of the century for William Terry, a freight house foreman.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

Open Land Woodland
Scattered Buildings
Moderately Built Up
Densely Built Up
Residential Commercial
Agricultural Industrial
Roadside Strip Development
Other:

RECORDED BY:

C. Richard Morsbach

ORGANIZATION:

VT. Div. for Historic Preservation

DATE RECORDED:

7/26/78



STATE OF VERMONT
 Division for Historic Preservation
 Ferrisburgh, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

SURVEY NUMBER:

NEGATIVE FILE NUMBER:

UTM REFERENCES:
 Zone/Easting/Northing

U.S.G.S. QUAD. MAP:

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE: residence
 ORIGINAL USE: residence
 ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

PHYSICAL CONDITION OF STRUCTURE:
 Excellent Good
 Fair Poor

STYLE: Queen Anne

DATE BUILT:

COUNTY: Chittenden
 TOWN: Burlington
 LOCATION: 55 Henry St.
 COMMON NAME:
 FUNCTIONAL TYPE: dwelling
 OWNER: Aaron J. & Mary R, Winslow
 ADDRESS: 55 Henry St.
 ACCESSIBILITY TO PUBLIC:
 Yes No Restricted
 LEVEL OF SIGNIFICANCE:
 Local State National

GENERAL DESCRIPTION:

Structural System
 1. Foundation: Stone Brick Concrete Concrete Block
 2. Wall Structure
 a. Wood Frame: Post & Beam Balloon
 b. Load Bearing Masonry: Brick Stone Concrete
 Concrete Block
 c. Iron d. Steel e. Other:
 3. Wall Covering: Clapboard Board & Batten Wood Shingle
 Shiplap Novelty Asbestos Shingle Sheet Metal
 Aluminum Asphalt Shingle Brick Veneer Stone Veneer
 Bonding Pattern: Other:
 4. Roof Structure
 a. Truss: Wood Iron Steel Concrete
 b. Other:
 5. Roof Covering: Slate Wood Shingle Asphalt Shingle
 Sheet Metal Built Up Rolled Tile Other:
 6. Engineering Structure:
 7. Other:
 Appendages: Porches Towers Cupolas Dormers Chimneys
 Sheds Ells Wings Bay Window Other:
 Roof Style: Gable Hip Shed Flat Mansard Gambrel
 Jerkinhead Saw Tooth With Monitor With Bellcast
 With Parapet With False Front Other:
 Number of Stories: 2½
 Number of Bays: _____ Entrance Location: _____
 Approximate Dimensions: _____

THREAT TO STRUCTURE:
 No Threat Zoning Roads
 Development Deterioration
 Alteration Other:

LOCAL ATTITUDES:
 Positive Negative
 Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - pedimented gable orientation. Rectangular mass with 2 story projection with intersecting pedimented gable on west elevation. One story rear ell. 2 x 3 bay veranda on facade.

Fenestration - 1/1 sash, plain trim. Paired gable window.

Entrance - Queen Anne styled door with large square light.

Enrichments - turned posts with brackets on veranda. Fishscale shingles, lattice underneath porch.

RELATED STRUCTURES: (Describe)


STATEMENT OF SIGNIFICANCE:

This subdued Queen Anne make a positive contribution to the streetscape by virtue of its similar scale and massing. All surface ornamentation and articulation is limited to the gable where there is 2 different shingle textures. It was one of the first structures put up on newly-built Henry St. in 1896, and was the home of Peter Ashley, coachman for patent medicine magnate and industrial entrepreneur William J. Van Patten.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Roadside Strip Development
- Other:

RECORDED BY:

C. Richard Morsbach

ORGANIZATION:

VT Div. for Historic Preservation

DATE RECORDED:

7/26/78



STATE OF VERMONT
 Division for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

SURVEY NUMBER:

NEGATIVE FILE NUMBER:

78-A-200

UTM REFERENCES:

Zone/Easting/Northing

U.S.G.S. QUAD. MAP:

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE: residence

ORIGINAL USE: residence

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

PHYSICAL CONDITION OF STRUCTURE:

Excellent Good

Fair Poor

STYLE:

Queen Anne

DATE BUILT:

c. 1900

COUNTY: Chittenden

TOWN: Burlington

LOCATION: 58 Henry St.

COMMON NAME:

FUNCTIONAL TYPE: dwelling

OWNER:

ADDRESS:

ACCESSIBILITY TO PUBLIC:
 Yes No Restricted

LEVEL OF SIGNIFICANCE:
 Local State National

GENERAL DESCRIPTION:

Structural System

1. Foundation: Stone Brick Concrete Concrete Block
2. Wall Structure
 - a. Wood Frame: Post & Beam Balloon
 - b. Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - c. Iron d. Steel e. Other:
3. Wall Covering: Clapboard Board & Batten Wood Shingle Shiplap Novelty Asbestos Shingle Sheet Metal Aluminum Asphalt Shingle Brick Veneer Stone Veneer Bonding Pattern: Other:
4. Roof Structure
 - a. Truss: Wood Iron Steel Concrete
 - b. Other:
5. Roof Covering: Slate Wood Shingle Asphalt Shingle Sheet Metal Built Up Rolled Tile Other:
6. Engineering Structure:
7. Other:

Appendages: Porches Towers Cupolas Dormers Chimneys Sheds Ells Wings Bay Window Other:

Roof Style: Gable Hip Shed Flat Mansard Gambrel Jerkinhead Saw Tooth With Monitor With Bellcast With Parapet With False Front Other:

Number of Stories: 2½

Number of Bays:

Entrance Location:

Approximate Dimensions:

THREAT TO STRUCTURE:

- No Threat Zoning Roads Development Deterioration Alteration Other:

LOCAL ATTITUDES:

- Positive Negative Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - gable end orientation. Asymmetrical plan. 2nd story pedimented bay window on facade. Two story pedimented bay window on west elevation. Pedimented oriole on east elevation. 1 x 2 bay veranda on facade. 1 x 1 bay rear porch.

Fenestration - 1/1 sash, plain trim.

Entrance - Queen Anne styled door with large, square light.

Enrichments - cavetto butt shingles, turned posts with brackets, corner boarding

RELATED STRUCTURES: (Describe)


STATEMENT OF SIGNIFICANCE:

This late Queen Anne is similar in design to others throughout Burlington, it was a popular style and design. The design is characterized by the pedimented bay window on the facade whose gable echos the gable of the main block. Distinctive features include the different surface textures of clapboard and cavetto butt shingles. The house illustrates the high quality of residential construction in Burlington. Built at the turn of the century, it was the home of Calvin Boardman, a painter.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Roadside Strip Development
- Other:

RECORDED BY:

C. Richard Morshbach

ORGANIZATION:

VT Div. for Historic Preservation

DATE RECORDED:

7/26/78



STATE OF VERMONT
 Division for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

COUNTY: Chittenden
 TOWN: Burlington
 LOCATION: 61 Henry St.
 COMMON NAME:
 FUNCTIONAL TYPE: dwelling
 OWNER: Eula B. Brothers
 ADDRESS: 61 Henry St.
 ACCESSIBILITY TO PUBLIC:
 Yes No Restricted
 LEVEL OF SIGNIFICANCE:
 Local State National

SURVEY NUMBER:
 NEGATIVE FILE NUMBER:
 UTM REFERENCES:
 Zone/Easting/Northing
 U.S.G.S. QUAD. MAP:
 PRESENT FORMAL NAME:
 ORIGINAL FORMAL NAME:
 PRESENT USE: residence
 ORIGINAL USE: residence
 ARCHITECT/ENGINEER:
 BUILDER/CONTRACTOR:
 PHYSICAL CONDITION OF STRUCTURE:
 Excellent Good
 Fair Poor
 STYLE: Queen Anne
 DATE BUILT: c. 1898

GENERAL DESCRIPTION:
 Structural System
 1. Foundation: Stone Brick Concrete Concrete Block
 2. Wall Structure
 a. Wood Frame: Post & Beam Balloon
 b. Load Bearing Masonry: Brick Stone Concrete
 Concrete Block
 c. Iron d. Steel e. Other:
 3. Wall Covering: Clapboard Board & Batten Wood Shingle
 Shiplap Novelty Asbestos Shingle Sheet Metal
 Aluminum Asphalt Shingle Brick Veneer Stone Veneer
 Bonding Pattern: Other:
 4. Roof Structure
 a. Truss: Wood Iron Steel Concrete
 b. Other:
 5. Roof Covering: Slate Wood Shingle Asphalt Shingle
 Sheet Metal Built Up Rolled Tile Other:
 6. Engineering Structure:
 7. Other:
 Appendages: Porches Towers Cupolas Dormers Chimneys
 Sheds Ells Wings Bay Window Other:
 Roof Style: Gable Hip Shed Flat Mansard Gambrel
 Jerkinhead Saw Tooth With Monitor With Bellcast
 With Parapet With False Front Other:
 Number of Stories: _____
 Number of Bays: _____ Entrance Location: _____
 Approximate Dimensions: _____

THREAT TO STRUCTURE:
 No Threat Zoning Roads
 Development Deterioration
 Alteration Other:

LOCAL ATTITUDES:
 Positive Negative
 Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - gable end orientaton. Rectangular block. Interior end chimneys with corbelled tops. 2 x 3 bay veranda on facade. Flat roofed side elevation wing. Fenestration - 1/1 sash, plain trim. Entrance - Right. Queen Anne styled door with square light in it. Enrichments - fishscale shingles. Beaded corner boarding. Brackets at corners. Pent like projection on gable end with brackets underneath.

RELATED STRUCTURES: (Describe)


STATEMENT OF SIGNIFICANCE:

This conservative Queen Anne shows none of the asymmetrical tendencies usually associated with this style. This perhaps reflects its late date, the influence of Colonial Revival symetry and the general conservativeness of most Queen Anne design in Burlington. 61 Henry Street makes a positive contribution to the cohesiveness of the streetscape by virtue of its rhythm with adjacent houses, scale and mass. When it was built in the late 1890's it was the home of Charles Prevost, an employee in E. A. Pope's packing box factory.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

Open Land Woodland
Scattered Buildings
Moderately Built Up
Densely Built Up
Residential Commercial
Agricultural Industrial
Roadside Strip Development
Other:

RECORDED BY:

C. Richard Morshach

ORGANIZATION:

VT Div. for Historic Preservation

DATE RECORDED:

7/25/78

STATE OF VERMONT
Division for Historic Preservation
Windsor, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

COUNTY: Chittenden
TOWN: Burlington
LOCATION: 64 Henry St.
COMMON NAME:
FUNCTIONAL TYPE: dwelling
OWNER: James C. & Elizabeth M. Orr
ADDRESS: 64 Henry St.
ACCESSIBILITY TO PUBLIC:
Yes No Restricted
LEVEL OF SIGNIFICANCE:
Local State National

GENERAL DESCRIPTION:
Structural System
1. Foundation: Stone Brick Concrete Concrete Block
2. Wall Structure
a. Wood Frame: Post & Beam Balloon
b. Load Bearing Masonry: Brick Stone Concrete
Concrete Block
c. Iron d. Steel e. Other:
3. Wall Covering: Clapboard Board & Batten Wood Shingle
Shiplap Novelty Asbestos Shingle Sheet Metal
Aluminum Asphalt Shingle Brick Veneer Stone Veneer
Bonding Pattern: Other:
4. Roof Structure
a. Truss: Wood Iron Steel Concrete
b. Other:
5. Roof Covering: Slate Wood Shingle Asphalt Shingle
Sheet Metal Built Up Rolled Tile Other:
6. Engineering Structure:
7. Other:
Appendages: Porches Towers Cupolas Dormers Chimneys
Sheds Ells Wings Bay Window Other:
Roof Style: Gable Hip Shed Flat Mansard Gambrel
Jerkinhead Saw Tooth With Monitor With Bellcast
With Parapet With False Front Other:
Number of Stories: 2 1/2
Number of Bays: _____ Entrance Location: _____
Approximate Dimensions: _____

SURVEY NUMBER:

NEGATIVE FILE NUMBER:
78-A-200

UTM REFERENCES:
Zone/Easting/Northing

U.S.G.S. QUAD. MAP:

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE: residence

ORIGINAL USE: residence

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

PHYSICAL CONDITION OF STRUCTURE:

Excellent Good

Fair Poor

STYLE: Queen Anne

DATE BUILT: c. 1904

THREAT TO STRUCTURE:
No Threat Zoning Roads
Development Deterioration
Alteration Other:

LOCAL ATTITUDES:
Positive Negative
Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - rectangular block with 2 story pedimented bay on facade. 1 story west elevation wing, recently added.
Fenestration - 6/1, 2/2 & Queen Anne sash. Plain trim.
Entrance - Queen Anne styled door with large rectangular light.

RELATED STRUCTURES: (Describe)


STATEMENT OF SIGNIFICANCE:

The wide reveal of the aluminum clapboarding is not sympathetic to the style of the house. The house, though basically Queen Anne, has Colonial Revival elements which are the massing, dormers and hip roofed. The pedimented bay window predominates and hence the Queen Anne feeling. The house makes a significant contribution to the cohesiveness and residential character of the street. Built in 1909, the first resident was Frank Kirk, a professional photographer.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Roadside Strip Development
- Other:

RECORDED BY:

C. Richard Morsbach

ORGANIZATION:

Vt. Div. for Historic Preservation

DATE RECORDED:

7/25/78



STATE OF VERMONT
 Division for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

SURVEY NUMBER:

NEGATIVE FILE NUMBER:

UTM REFERENCES:
 Zone/Easting/Northing

U.S.G.S. QUAD. MAP:

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE: residence

ORIGINAL USE: residence

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

PHYSICAL CONDITION OF STRUCTURE:

Excellent Good

Fair Poor

STYLE: Queen Anne/Colonial Revival

DATE BUILT: c. 1904

COUNTY: Chittenden

TOWN: Burlington

LOCATION: 69 Henry St.

COMMON NAME:

FUNCTIONAL TYPE: dwelling

OWNER: Helen Keith Brink

ADDRESS:

ACCESSIBILITY TO PUBLIC:
 Yes No Restricted

LEVEL OF SIGNIFICANCE:
 Local State National

GENERAL DESCRIPTION:

Structural System

1. Foundation: Stone Brick Concrete Concrete Block

2. Wall Structure

a. Wood Frame: Post & Beam Balloon

b. Load Bearing Masonry: Brick Stone Concrete
 Concrete Block

c. Iron d. Steel e. Other:

3. Wall Covering: Clapboard Board & Batten Wood Shingle

Shiplap Novelty Asbestos Shingle Sheet Metal

Aluminum Asphalt Shingle Brick Veneer Stone Veneer

Bonding Pattern: Other:

4. Roof Structure

a. Truss: Wood Iron Steel Concrete

b. Other:

5. Roof Covering: Slate Wood Shingle Asphalt Shingle

Sheet Metal Built Up Rolled Tile Other:

6. Engineering Structure:

7. Other:

Appendages: Porches Towers Cupolas Dormers Chimneys

Sheds Ells Wings Bay Window Other:

Roof Style: Gable Hip Shed Flat Mansard Gambrel

Jerkinhead Saw Tooth With Monitor With Bellcast

With Parapet With False Front Other:

Number of Stories: 2½

Number of Bays:

Entrance Location:

Approximate Dimensions:

THREAT TO STRUCTURE:

No Threat Zoning Roads

Development Deterioration

Alteration Other:

LOCAL ATTITUDES:

Positive Negative

Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - gable end orientation. Asymmetrical plan. 2 story canted bay windows on facade and west elevation terminating in pedimented gable. 1 x 2 bay veranda on facade. Veranda on rear elevation.

Fenestration - 1/1 sash. Plain trim.

Entrance - Left. Queen Anne styled door with large rectangular light.

Enrichments - canted butt shingles, modillions at eaves. Spindle screen and chamfered posts on verandas.

RELATED STRUCTURES: (Describe)

Large hip roofed barn.


STATEMENT OF SIGNIFICANCE:

This house is a blend of Queen Anne and Colonial Revival elements. It illustrates how popular Queen Anne design motifs hung on and blended with the newer, vogue Colonial Revival treatments. The pedimented bay window, whose gable echoes the main gable, was a popular Queen Anne design. The dormer and modillions are Colonial Revival elements. This successful blend makes a significant contribution to the residential character and quality of houses along the street. Originally #63 Henry St., it was built in 1904. The first resident was Judson Haynes, an employee of the Burlington Savings Bank.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

Open Land Woodland
Scattered Buildings
Moderately Built Up
Densely Built Up
Residential Commercial
Agricultural Industrial
Roadside Strip Development
Other:

RECORDED BY:

C. Richard Morsbach

ORGANIZATION:

VT Div. for Historic Preservation

DATE RECORDED:

7/25/78

STATE OF VERMONT
 Division for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

COUNTY:	Chittenden
TOWN:	Burlington
LOCATION:	74 Henry St.
COMMON NAME:	
FUNCTIONAL TYPE:	dwelling
OWNER:	Hyman & Molly Lapidow
ADDRESS:	74 Henry St.
ACCESSIBILITY TO PUBLIC:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Restricted <input type="checkbox"/>
LEVEL OF SIGNIFICANCE:	Local <input checked="" type="checkbox"/> State <input type="checkbox"/> National <input type="checkbox"/>

GENERAL DESCRIPTION:

Structural System

1. Foundation: Stone Brick Concrete Concrete Block
 2. Wall Structure
 - a. Wood Frame: Post & Beam Balloon
 - b. Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - c. Iron d. Steel e. Other:
 3. Wall Covering: Clapboard Board & Batten Wood Shingle Shiplap Novelty Asbestos Shingle Sheet Metal Aluminum Asphalt Shingle Brick Veneer Stone Veneer Bonding Pattern: _____ Other: _____
 4. Roof Structure
 - a. Truss: Wood Iron Steel Concrete
 - b. Other:
 5. Roof Covering: Slate Wood Shingle Asphalt Shingle Sheet Metal Built Up Rolled Tile Other: _____
 6. Engineering Structure:
 7. Other:
- Appendages: Porches Towers Cupolas Dormers Chimneys
 Sheds Ells Wings Bay Window Other: _____
 Roof Style: Gable Hip Shed Flat Mansard Gambrel
 Jerkinhead Saw Tooth With Monitor With Bellcast
 With Parapet With False Front Other: _____
 Number of Stories: _____ 2½
 Number of Bays: _____ Entrance Location: _____
 Approximate Dimensions: _____

SURVEY NUMBER:

NEGATIVE FILE NUMBER:

78-A-200

UTM REFERENCES:

Zone/Easting/Northing

U.S.G.S. QUAD. MAP:

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE: residence

ORIGINAL USE: residence

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

PHYSICAL CONDITION OF STRUCTURE:

Excellent Good

Fair Poor

STYLE: Colonial Revival

DATE BUILT:

THREAT TO STRUCTURE:

- No Threat Zoning Roads
 Development Deterioration
 Alteration Other: _____

LOCAL ATTITUDES:

- Positive Negative
 Mixed Other: _____

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - gable end orientation. Boxed cornice with gable returns. Rectangular block. 1 x 2 bay veranda with paired columns.

Fenestration - 1/1 & Queen Anne sash. Paired gable windows. Plain trim.

Entrance - left side, large rectangular light in door.

RELATED STRUCTURES: (Describe)

1 bay, 1 story garage, gable ended.


STATEMENT OF SIGNIFICANCE:

This Colonial Revival makes a significant contribution to the cohesiveness of the streetscape by virtue of its similar massing and set back to adjacent houses. It was built in 1924 for Nathan Estrin, proprietor of the Quality Meat Shop in Winooski, who fit in well to the predominantly middle class Henry St. neighborhood.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

Open Land Woodland
Scattered Buildings
Moderately Built Up
Densely Built Up
Residential Commercial
Agricultural Industrial
Roadside Strip Development
Other:

RECORDED BY:

C. Richard Morsbach

ORGANIZATION:

VT Div. for Historic Preservation

DATE RECORDED:

7/25/78



STATE OF VERMONT
 Division for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

SURVEY NUMBER:

NEGATIVE FILE NUMBER:

UTM REFERENCES:
 Zone/Easting/Northing

U.S.G.S. QUAD. MAP:

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE: residence

ORIGINAL USE: residence

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

PHYSICAL CONDITION OF STRUCTURE:

Excellent Good

Fair Poor

STYLE: Bungalow

DATE BUILT:

COUNTY: Chittenden
 TOWN: Burlington
 LOCATION: 75 Henry St.

COMMON NAME:

FUNCTIONAL TYPE: dwelling
 OWNER: James A. & Rose M. Crondrite
 ADDRESS: 75 Henry St.

ACCESSIBILITY TO PUBLIC:
 Yes No Restricted

LEVEL OF SIGNIFICANCE:
 Local State National

GENERAL DESCRIPTION:

Structural System

1. Foundation: Stone Brick Concrete Concrete Block
2. Wall Structure
 - a. Wood Frame: Post & Beam Balloon
 - b. Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - c. Iron d. Steel e. Other:
3. Wall Covering: Clapboard Board & Batten Wood Shingle Shiplap Novelty Asbestos Shingle Sheet Metal Aluminum Asphalt Shingle Brick Veneer Stone Veneer Bonding Pattern: Other:
4. Roof Structure
 - a. Truss: Wood Iron Steel Concrete
 - b. Other:
5. Roof Covering: Slate Wood Shingle Asphalt Shingle Sheet Metal Built Up Rolled Tile Other:
6. Engineering Structure:
7. Other:

Appendages: Porches Towers Cupolas Dormers Chimneys Sheds Ells Wings Bay Window Other:

Roof Style: Gable Hip Shed Flat Mansard Gambrel Jerkinhead Saw Tooth With Monitor With Bellcast With Parapet With False Front Other:

Number of Stories: 1 1/2

Number of Bays: _____

Entrance Location: _____

Approximate Dimensions: _____

THREAT TO STRUCTURE:
 No Threat Zoning Roads Development Deterioration Alteration Other:

LOCAL ATTITUDES:
 Positive Negative Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - gable sided orientation. Rectangular block with shed addition on rear. Gable roof extends over veranda to become veranda roof. 1 x 3 bay veranda, paired columns. Shed dormer on facade.

Fenestration - 1/1 sash. (2/2 storm sash). Plain trim.

Entrance - Center. Large rectangular light in door.

Enrichments - paneling on columns. Shingling on impost block or veranda.

RELATED STRUCTURES: (Describe)

STATEMENT OF SIGNIFICANCE:

This Bungalow is an interesting addition to a neighborhood comprised mostly of Queen Anne and Colonial Revival style houses. It makes a significant contribution to the neighborhood by virtue of its style and its well maintained condition.


It was built c. 1922. The first resident was Frank L. Warner, an employee of the Burlington Traction Co. (trolleys).

Another Bungalow on Henry Street is 87 Henry St.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:


Open Land Woodland
Scattered Buildings
Moderately Built Up
Densely Built Up
Residential Commercial
Agricultural Industrial
Roadside Strip Development
Other:

RECORDED BY:
C. Richard Morsbach

ORGANIZATION:
VT. Div. for Historic Preservation

DATE RECORDED:

7/25/78



STATE OF VERMONT
 Division for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

COUNTY:	Chittenden
TOWN:	Burlington
LOCATION:	81 Henry St.
COMMON NAME:	
FUNCTIONAL TYPE:	dwelling
OWNER:	Velma L., Elizabeth & Stanley
ADDRESS:	B. Carey
ACCESSIBILITY TO PUBLIC:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Restricted <input type="checkbox"/>
LEVEL OF SIGNIFICANCE:	Local <input checked="" type="checkbox"/> State <input type="checkbox"/> National <input type="checkbox"/>

SURVEY NUMBER:	
NEGATIVE FILE NUMBER:	
UTM REFERENCES:	Zone/Easting/Northing
U.S.G.S. QUAD. MAP:	
PRESENT FORMAL NAME:	
ORIGINAL FORMAL NAME:	
PRESENT USE:	residence
ORIGINAL USE:	
ARCHITECT/ENGINEER:	
BUILDER/CONTRACTOR:	
PHYSICAL CONDITION OF STRUCTURE:	Excellent <input checked="" type="checkbox"/> Good <input type="checkbox"/> Fair <input type="checkbox"/> Poor <input type="checkbox"/>
STYLE:	Colonial Revival
DATE BUILT:	c. 1925

GENERAL DESCRIPTION:

Structural System

- Foundation: Stone Brick Concrete Concrete Block
- Wall Structure
 - Wood Frame: Post & Beam Balloon
 - Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - Iron d. Steel e. Other:
- Wall Covering: Clapboard Board & Batten Wood Shingle Shiplap Novelty Asbestos Shingle Sheet Metal Aluminum Asphalt Shingle Brick Veneer Stone Veneer Bonding Pattern: Other:
- Roof Structure
 - Truss: Wood Iron Steel Concrete
 - Other:
- Roof Covering: Slate Wood Shingle Asphalt Shingle Sheet Metal Built Up Rolled Tile Other:
- Engineering Structure:
- Other:

Appendages: Porches Towers Cupolas Dormers Chimneys Sheds Ells Wings Bay Window Other:

Roof Style: Gable Hip Shed Flat Mansard Gambrel Jerkinhead Saw Tooth With Monitor With Bellcast With Parapet With False Front Other:

Number of Stories: 2 1/2

Number of Bays: _____

Approximate Dimensions: _____

Entrance Location: _____

THREAT TO STRUCTURE:

No Threat Zoning Roads Development Deterioration Alteration Other:

LOCAL ATTITUDES:

Positive Negative Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - gable sided orientation. Rectangular block. Boxed cornice with gable returns. Shed dormer on facade. 1 x 2 bay veranda on facade.
Fenestration - 4/1, 3/1, & Queen Anne sash. Tripartite and paired windows. Queen Anne sash is located in fixed portion of 3 part window. Plain trim.
Entrance - left side. Large rectangular light in door.
Enrichments - Tuscan columns on veranda. Pediment on veranda roof.

RELATED STRUCTURES: (Describe)


STATEMENT OF SIGNIFICANCE:

This house is similar to #82 Henry St. in nearly every respect. It is representative of many Colonial Revival houses throughout Burlington and their high quality in terms of construction. It was built c. 1925 for Leland Carey, proprietor of Carey's Garage.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

Open Land Woodland
Scattered Buildings
Moderately Built Up
Densely Built Up
Residential Commercial
Agricultural Industrial
Roadside Strip Development
Other:

RECORDED BY:


C. Richard Morsbach

ORGANIZATION:

VT. Division for Historic Preservation

DATE RECORDED:

7/25/78



STATE OF VERMONT
 Division for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

COUNTY: Chittenden
 TOWN: Burlington
 LOCATION: 82 Henry St.
 COMMON NAME:
 FUNCTIONAL TYPE:
 OWNER: Henry & Charlotte S. Remick
 ADDRESS: 82 Henry St.
 ACCESSIBILITY TO PUBLIC:
 Yes No Restricted
 LEVEL OF SIGNIFICANCE:
 Local State National

SURVEY NUMBER:
 NEGATIVE FILE NUMBER:
 78-A-200
 UTM REFERENCES:
 Zone/Easting/Northing
 U.S.G.S. QUAD. MAP:
 PRESENT FORMAL NAME:
 ORIGINAL FORMAL NAME:
 PRESENT USE: residence
 ORIGINAL USE: residence
 ARCHITECT/ENGINEER:
 BUILDER/CONTRACTOR:
 PHYSICAL CONDITION OF STRUCTURE:
 Excellent Good
 Fair Poor
 STYLE: Colonial Revival
 DATE BUILT: 1922

GENERAL DESCRIPTION:
 Structural System
 1. Foundation: Stone Brick Concrete Concrete Block
 2. Wall Structure
 a. Wood Frame: Post & Beam Balloon
 b. Load Bearing Masonry: Brick Stone Concrete
 Concrete Block
 c. Iron d. Steel e. Other:
 3. Wall Covering: Clapboard Board & Batten Wood Shingle
 Shiplap Novelty Asbestos Shingle Sheet Metal
 Aluminum Asphalt Shingle Brick Veneer Stone Veneer
 Bonding Pattern: Other:
 4. Roof Structure
 a. Truss: Wood Iron Steel Concrete
 b. Other:
 5. Roof Covering: Slate Wood Shingle Asphalt Shingle
 Sheet Metal Built Up Rolled Tile Other:
 6. Engineering Structure:
 7. Other:
 Appendages: Porches Towers Cupolas Dormers Chimneys
 Sheds Ells Wings Bay Window Other:
 Roof Style: Gable Hip Shed Flat Mansard Gambrel
 Jerkinhead Saw Tooth With Monitor With Bellcast
 With Parapet With False Front Other:
 Number of Stories: 2½
 Number of Bays: _____ Entrance Location: _____
 Approximate Dimensions: _____

THREAT TO STRUCTURE:
 No Threat Zoning Roads
 Development Deterioration
 Alteration Other:

LOCAL ATTITUDES:
 Positive Negative
 Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - gable sided orientation. Rectangular block. Boxed cornice with gable returns. 1 x 2 bay veranda on facade.

Fenestration - 4/1 sash. Plain trim. Shed dormer on facade. Tripartite window Queen Anne sash.

Entrance - large rectangular light in front door.

Enrichments - Doric columnettes.

RELATED STRUCTURES: (Describe)

STATEMENT OF SIGNIFICANCE:


See #81 Henry St.

Built in 1922, the first owner was Lloyd A. Woodward, an instructor at U. V. M.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

Open Land Woodland

Scattered Buildings

Moderately Built Up

Densely Built Up

Residential Commercial

Agricultural Industrial

Roadside Strip Development

Other:

RECORDED BY:

C. Richard Morsbach

ORGANIZATION:

VT. Div. for Historic Preservation

DATE RECORDED:

7/25/78

STATE OF VERMONT
Division for Historic Preservation
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

SURVEY NUMBER:

NEGATIVE FILE NUMBER:

UTM REFERENCES:
Zone/Easting/Northing

U.S.G.S. QUAD. MAP:

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE: residence

ORIGINAL USE: residence

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

PHYSICAL CONDITION OF STRUCTURE:

Excellent Good

Fair Poor

STYLE: Bunglaow

DATE BUILT: c. 1923

COUNTY: Chittenden
TOWN: Burlington
LOCATION: 87 Henry St.

COMMON NAME:

FUNCTIONAL TYPE: dwelling

OWNER: Kenneth & Ermilda Kock
ADDRESS: 90 Henry St.

ACCESSIBILITY TO PUBLIC:
Yes No Restricted

LEVEL OF SIGNIFICANCE:
Local State National

GENERAL DESCRIPTION:

Structural System

1. Foundation: Stone Brick Concrete Concrete Block
2. Wall Structure
 - a. Wood Frame: Post & Beam Balloon
 - b. Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - c. Iron d. Steel e. Other:
3. Wall Covering: Clapboard Board & Batten Wood Shingle Shiplap Novelty Asbestos Shingle Sheet Metal Aluminum Asphalt Shingle Brick Veneer Stone Veneer Bonding Pattern: Other:
4. Roof Structure
 - a. Truss: Wood Iron Steel Concrete
 - b. Other:
5. Roof Covering: Slate Wood Shingle Asphalt Shingle Sheet Metal Built Up Rolled Tile Other:
6. Engineering Structure:
7. Other:

Appendages: Porches Towers Cupolas Dormers Chimneys Sheds Ells Wings Bay Window Other:

Roof Style: Gable Hip Shed Flat Mansard Gambrel Jerkinhead Saw Tooth With Monitor With Bellcast With Parapet With False Front Other:

Number of Stories: 1½

Number of Bays: _____

Approximate Dimensions: _____

Entrance Location: _____

THREAT TO STRUCTURE:

No Threat Zoning Roads Development Deterioration Alteration Other:

LOCAL ATTITUDES:

Positive Negative Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - gable sided orientation. Bay windows on east and west elevations.
1 x 1 bay entrance porch with gable roof. Projecting eaves.
Fenestration - 8/1 sash. Plain surround.
Entrance - 3 panel door with 4 panes of glass.
Enrichments - open brackets at eaves. Corner boarding.

RELATED STRUCTURES: (Describe)

STATEMENT OF SIGNIFICANCE:


This Bungalow is slightly different than the other (75 Henry St.) Bungalows on Henry St. in that it has a much lower massing. Its wood shingle sheathing gives the house a distinctive and unique character that is a pleasant contrast to the majority of clapboarded houses on the street. Another noteworthy feature is the open truss bracketing at the eaves.

The first resident (1923) was Frank H. Palmer, a carpenter.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

Open Land Woodland
Scattered Buildings
Moderately Built Up
Densely Built Up
Residential Commercial
Agricultural Industrial
Roadside Strip Development
Other:

RECORDED BY:


C. Richard Morshach

ORGANIZATION:

VT. Div. for Historic Preservation

DATE RECORDED:

7/25/78



STATE OF VERMONT
 Division for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

SURVEY NUMBER:

NEGATIVE FILE NUMBER:

78-A-200

UTM REFERENCES:

Zone/Easting/Northing

U.S.G.S. QUAD. MAP:

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE: residence

ORIGINAL USE: residence

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

PHYSICAL CONDITION OF STRUCTURE:

Excellent Good

Fair Poor

STYLE: Colonial Revival

DATE BUILT:

1919

COUNTY: Chittenden

TOWN: Burlington

LOCATION:

90 Henry St.

COMMON NAME:

FUNCTIONAL TYPE: dwelling

OWNER: Kenneth & Ermilda Rock

ADDRESS: 90 Henry St.

ACCESSIBILITY TO PUBLIC:

Yes No Restricted

LEVEL OF SIGNIFICANCE:

Local State National

GENERAL DESCRIPTION:

Structural System

1. Foundation: Stone Brick Concrete Concrete Block

2. Wall Structure

a. Wood Frame: Post & Beam Balloon

b. Load Bearing Masonry: Brick Stone Concrete
 Concrete Block

c. Iron d. Steel e. Other:

3. Wall Covering: Clapboard Board & Batten Wood Shingle

Shiplap Novelty Asbestos Shingle Sheet Metal

Aluminum Asphalt Shingle Brick Veneer Stone Veneer

Bonding Pattern: Other:

4. Roof Structure

a. Truss: Wood Iron Steel Concrete

b. Other:

5. Roof Covering: Slate Wood Shingle Asphalt Shingle

Sheet Metal Built Up Rolled Tile Other:

6. Engineering Structure:

7. Other:

Appendages: Porches Towers Cupolas Dormers Chimneys

Sheds Ells Wings Bay Window Other:

Roof Style: Gable Hip Shed Flat Mansard Gambrel

Jerkinhead Saw Tooth With Monitor With Bellcast

With Parapet With False Front Other:

Number of Stories: 2½

Number of Bays:

Entrance Location:

Approximate Dimensions:

THREAT TO STRUCTURE:

No Threat Zoning Roads

Development Deterioration

Alteration Other:

LOCAL ATTITUDES:

Positive Negative

Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - gable sided orientation. Gable returns, boxed cornice. Rectangular block. 1 x 2 bay veranda on facade.

Fenestration - 6/1 sash. Tripartite windows. Diamond comes. Shed dormer.

Entrance - full sidelights, two panes wide. Multi-paned door.

Enrichments - Tuscan columnettes.

RELATED STRUCTURES: (Describe)


STATEMENT OF SIGNIFICANCE:

This house makes a significant contribution to the late 19th and early 20th century character of the street through its similar scale and massing. It was built c. 1919 for George Colburn, a salesman.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

Open Land Woodland
Scattered Buildings
Moderately Built Up
Densely Built Up
Residential Commercial
Agricultural Industrial
Roadside Strip Development
Other:

RECORDED BY:

C. Richard Morsbach

ORGANIZATION:

Vermont Div. for Historic Preservation

DATE RECORDED:

7/25/78



STATE OF VERMONT
 Division for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

SURVEY NUMBER:
 NEGATIVE FILE NUMBER: 78-A-200
 UTM REFERENCES:
 Zone/Easting/Northing
 U.S.G.S. QUAD. MAP:
 PRESENT FORMAL NAME:
 ORIGINAL FORMAL NAME:
 PRESENT USE: residence
 ORIGINAL USE: residence
 ARCHITECT/ENGINEER:
 BUILDER/CONTRACTOR:
 PHYSICAL CONDITION OF STRUCTURE:
 Excellent Good
 Fair Poor
 STYLE: Colonial Revival
 DATE BUILT:

COUNTY: Chittenden
 TOWN: Burlington
 LOCATION:
 96 Henry St.
 COMMON NAME:
 FUNCTIONAL TYPE: dwelling
 OWNER: Robert E. Sjogren & Clara A.
 ADDRESS: Braun
 96 Henry St.
 ACCESSIBILITY TO PUBLIC:
 Yes No Restricted
 LEVEL OF SIGNIFICANCE:
 Local State National

GENERAL DESCRIPTION:
 Structural System
 1. Foundation: Stone Brick Concrete Concrete Block
 2. Wall Structure
 a. Wood Frame: Post & Beam Balloon
 b. Load Bearing Masonry: Brick Stone Concrete
 Concrete Block
 c. Iron d. Steel e. Other:
 3. Wall Covering: Clapboard Board & Batten Wood Shingle
 Shiplap Novelty Asbestos Shingle Sheet Metal
 Aluminum Asphalt Shingle Brick Veneer Stone Veneer
 Bonding Pattern: Other:
 4. Roof Structure
 a. Truss: Wood Iron Steel Concrete
 b. Other:
 5. Roof Covering: Slate Wood Shingle Asphalt Shingle
 Sheet Metal Built Up Rolled Tile Other:
 6. Engineering Structure:
 7. Other:
 Appendages: Porches Towers Cupolas Dormers Chimneys
 Sheds Ells Wings Bay Window Other:
 Roof Style: Gable Hip Shed Flat Mansard Gambrel
 Jerkinhead Saw Tooth With Monitor With Bellcast
 With Parapet With False Front Other:
 Number of Stories: 2½
 Number of Bays: _____ Entrance Location: _____
 Approximate Dimensions: _____

THREAT TO STRUCTURE:
 No Threat Zoning Roads
 Development Deterioration
 Alteration Other:

LOCAL ATTITUDES:
 Positive Negative
 Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - gable sided orientation. 1 x 2 bay veranda on facade, with grouped columnettes. Bay window on left side of facade. Center chimney. Rectangular block.

Fenestration - 9/1 & 1/1 sash. Plain trim. Shed dormers in roof.

Entrance - wide, full length sidelights. Multi-paned door.

Enrichments - Tuscan columns. Shingling.

RELATED STRUCTURES: (Describe)


STATEMENT OF SIGNIFICANCE:

Number 96 is distinctive for its gambrel roof that sets it apart from the other houses on the street. It makes a significant contribution to the cohesiveness of the neighborhood by virtue of its style, scale and massing. It was built c. 1917 for Clarence G. Newton, a salesman.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

Open Land Woodland
Scattered Buildings
Moderately Built Up
Densely Built Up
Residential Commercial
Agricultural Industrial
Roadside Strip Development
Other:

RECORDED BY:


C. Richard Morsbach

ORGANIZATION:

VT. Div. for Historic Preservation

DATE RECORDED:

7/25/78



Historic Preservation
602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

SURVEY NUMBER:

NEGATIVE FILE NUMBER:
78-A-201

UTM REFERENCES:
Zone/Easting/Northing

U.S.G.S. QUAD. MAP:

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE: residence

ORIGINAL USE: residence

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

PHYSICAL CONDITION OF STRUCTURE:
Excellent Good
Fair Poor

STYLE: Colonial Revival

DATE BUILT: 1923

COUNTY: Chittenden

TOWN: Burlington

LOCATION:
101 Henry St.

COMMON NAME:

FUNCTIONAL TYPE: dwelling

OWNER: James H. & Helen E. Viele

ADDRESS: 101 Henry St.

ACCESSIBILITY TO PUBLIC:
Yes No Restricted

LEVEL OF SIGNIFICANCE:
Local State National

GENERAL DESCRIPTION:

Structural System

- Foundation: Stone Brick Concrete Concrete Block
- Wall Structure
 - Wood Frame: Post & Beam Balloon
 - Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - Iron d. Steel e. Other:
- Wall Covering: Clapboard Board & Batten Wood Shingle Shiplap Novelty Asbestos Shingle Sheet Metal Aluminum Asphalt Shingle Brick Veneer Stone Veneer Bonding Pattern: Other:
- Roof Structure
 - Truss: Wood Iron Steel Concrete
 - Other:
- Roof Covering: Slate Wood Shingle Asphalt Shingle Sheet Metal Built Up Rolled Tile Other:
- Engineering Structure:
- Other:

Appendages: Porches Towers Cupolas Dormers Chimneys Sheds Ells Wings Bay Window Other:

Roof Style: Gable Hip Shed Flat Mansard Gambrel Jerkinhead Saw Tooth With Monitor With Bellcast With Parapet With False Front Other:

Number of Stories: 2½

Number of Bays: _____ Entrance Location: _____

Approximate Dimensions: _____

THREAT TO STRUCTURE:
No Threat Zoning Roads Development Deterioration Alteration Other:

LOCAL ATTITUDES:
Positive Negative Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - square block. 1 x 1 bay pediment entrance porch. Bay windows on east and west facade. Projecting eaves.

Fenestration - 1/1 sash. Paired windows. Flat arches over 1st floor windows.

Entrance - Left side. Large rectangular light in door.

RELATED STRUCTURES: (Describe)


STATEMENT OF SIGNIFICANCE:

Much of the character of this house can be attributed its setting on a spacious lot. The house is typical of many Colonial Revival houses built in this period. Unique to a house of this type are the bay windows on the east and west elevations. It was built in 1923 for Edward H. Loveland, county agent for the Chittenden County Farm Bureau.

REFERENCES:

Sanborns, directories

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Roadside Strip Development
- Other:

RECORDED BY:

C. Richard Morshach

ORGANIZATION:

VT. Div. for Historic Preservation

DATE RECORDED:

7/25/78