

MURRAY STREET



OF VERMONT
 Commission for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

COUNTY: Chittenden
 TOWN: Burlington
 LOCATION: 5-7 Murray St.
 COMMON NAME:
 FUNCTIONAL TYPE: dwelling
 OWNER: Michael T. Moore
 ADDRESS: Pine Place
 ACCESSIBILITY TO PUBLIC:
 Yes No Restricted
 LEVEL OF SIGNIFICANCE:
 Local State National

GENERAL DESCRIPTION:
 Structural System
 1. Foundation: Stone Brick Concrete Concrete Block
 2. Wall Structure
 a. Wood Frame: Post & Beam Balloon
 b. Load Bearing Masonry: Brick Stone Concrete
 Concrete Block
 c. Iron d. Steel e. Other:
 3. Wall Covering: Clapboard Board & Batten Wood Shingle
 Shiplap Novelty Asbestos Shingle Sheet Metal
 Aluminum Asphalt Shingle Brick Veneer Stone Veneer
 Bonding Pattern: Other:
 4. Roof Structure
 a. Truss: Wood Iron Steel Concrete
 b. Other:
 5. Roof Covering: Slate Wood Shingle Asphalt Shingle
 Sheet Metal Built Up Rolled Tile Other:
 6. Engineering Structure:
 7. Other:
 Appendages: Porches Towers Cupolas Dormers Chimneys
 Sheds Ells Wings Bay Window Other:
 Roof Style: Gable Hip Shed Flat Mansard Gambrel
 Jerkinhead Saw Tooth With Monitor With Bellcast
 With Parapet With False Front Other:
 Number of Stories: 2½
 Number of Bays: _____ Entrance Location: left
 Approximate Dimensions: _____

SURVEY NUMBER:
 NEGATIVE FILE NUMBER:
 78-A-145
 UTM REFERENCES:
 Zone/Easting/Northing
 U.S.G.S. QUAD. MAP:
 PRESENT FORMAL NAME:
 ORIGINAL FORMAL NAME:
 PRESENT USE: apartments
 ORIGINAL USE: residence
 ARCHITECT/ENGINEER:
 BUILDER/CONTRACTOR:
 PHYSICAL CONDITION OF STRUCTURE:
 Excellent Good
 Fair Poor
 STYLE: Queen Anne
 DATE BUILT: c. 1907

THREAT TO STRUCTURE:
 No Threat Zoning Roads
 Development Deterioration
 Alteration Other:

LOCAL ATTITUDES:
 Positive Negative
 Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - Asymmetrical plan, gable end orientation. 2 story polygonal corner bay capped with a polygonal roof two story canted side bays on north and south elevation terminating in pedimented gables. 2 x 2 bay front porch and story rear, side porch.

Fenestration - 1/1 and Queen Anne sash. Plain architrave.

Entrance - Left side. 2 doors, undistinguished.

Enrichments - Turned posts on porches. Imbricated shingles on bays and in gables.

RELATED STRUCTURES: (Describe)

STATEMENT OF SIGNIFICANCE:


This is a typical Queen Anne house that was built around the turn of the century. It anchors one corner of Murray and Peru streets, offering a pleasant contrast to the Greek Revivals that dominate this end of the street, though presently not well maintained, it was once a house of some importance. Its outstanding features include a distinctive corner tower and bay windows.

It was built c. 1907 for Edward Simays, proprietor of the Dime Express, who had previously lived next door. This bigger, more modern home not only raised his standard of living, but allowed him to rent out his lod home (#13) for income. Simays had grown up a block away on Elmwood Ave., and exemplifies the close-knit spirit of the neighborhood.

REFERENCES:

Sanborns, directories.

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

Open Land Woodland
Scattered Buildings
Moderately Built Up
Densely Built Up
Residential Commercial
Agricultural Industrial
Roadside Strip Development
Other:

RECORDED BY:
C. Richard Morsbach

ORGANIZATION:
VT. Div. for Historic Preservation

DATE RECORDED: 6/23/78



OF VERMONT
 Division for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

COUNTY: Chittenden
 TOWN: Burlington
 LOCATION: 11-13 Murray St.
 COMMON NAME:
 FUNCTIONAL TYPE: dwelling
 OWNER: Harold R. & Amy Junger
 ADDRESS:
 ACCESSIBILITY TO PUBLIC:
 Yes No Restricted
 LEVEL OF SIGNIFICANCE:
 Local State National

GENERAL DESCRIPTION:
 Structural System
 1. Foundation: Stone Brick Concrete Concrete Block
 2. Wall Structure
 a. Wood Frame: Post & Beam Balloon
 b. Load Bearing Masonry: Brick Stone Concrete
 Concrete Block
 c. Iron d. Steel e. Other:
 3. Wall Covering: Clapboard Board & Batten Wood Shingle
 Shiplap Novelty Asbestos Shingle Sheet Metal
 Aluminum Asphalt Shingle Brick Veneer Stone Veneer
 Bonding Pattern: common Other:
 4. Roof Structure
 a. Truss: Wood Iron Steel Concrete
 b. Other:
 5. Roof Covering: Slate Wood Shingle Asphalt Shingle
 Sheet Metal Built Up Rolled Tile Other:
 6. Engineering Structure:
 7. Other:
 Appendages: Porches Towers Cupolas Dormers Chimneys
 Sheds Ells Wings Bay Window Other:
 Roof Style: Gable Hip Shed Flat Mansard Gambrel
 Jerkinhead Saw Tooth With Monitor With Bellcast
 With Parapet With False Front Other:
 Number of Stories: 2 1/2
 Number of Bays: 3
 Approximate Dimensions: _____

SURVEY NUMBER:
 NEGATIVE FILE NUMBER:
 78-A-145
 UTM REFERENCES:
 Zone/Easting/Northing
 U.S.G.S. QUAD. MAP:
 PRESENT FORMAL NAME:
 ORIGINAL FORMAL NAME:
 PRESENT USE: apartments
 ORIGINAL USE: residence
 ARCHITECT/ENGINEER:
 BUILDER/CONTRACTOR:
 PHYSICAL CONDITION OF STRUCTURE:
 Excellent Good
 Fair Poor
 STYLE: Greek Revival
 DATE BUILT: c. 1845

THREAT TO STRUCTURE:
 No Threat Zoning Roads
 Development Deterioration
 Alteration Other:

LOCAL ATTITUDES:
 Positive Negative
 Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - Pedimented gable front orientation. Rectangular block with wings on north and south elevation. South elevation is wooden wing, north elevation is brick with round window openings. Interior gable end chimneys. Boxed cornice.

Fenestration - 6/6, 1/1 sash. Flat arches. Gable window. Wood sills. Paired windows in the north addition.

Entrance - 3/4 length sidelights, panels with applied moldings beneath. Pilaster strips frame sidelights. Entrance porch 1 x 1 bay with flat roof. Door is 4 panels with round beaded top panels.

Enrichments - Turned posts with brackets.

RELATED STRUCTURES: (Describe)

STATEMENT OF SIGNIFICANCE:


A common Greek Revival house type found in Burlington, characterized by a three bay facade with a side hall entrance, pedimented gable and pointed arch gable window. The house appears on the 1853 Presdee and Edwards map. Its outstanding features include paired end chimneys and many remaining Greek Revival details.

Nothing is known of pre-Civil War occupants. Shortly after the war it was acquired by attorney C. J. Alger, who lived here until his death in the 1890's. In 1896 it was bought by Charles Stone, a contractor and builder. The house is a throwback to the early days of the North End when affluent merchants and professionals built spacious homes and lawns on what was then the outskirts of Burlington.

REFERENCES:

1853, 1869, 1890, Sanborn maps; directories.

MAP: (Indicate North in Circle)




SURROUNDING ENVIRONMENT:

Open Land Woodland
 Scattered Buildings
 Moderately Built Up
 Densely Built Up
 Residential Commercial
 Agricultural Industrial
 Roadside Strip Development
 Other:

RECORDED BY:
C. Richard Morsbach

ORGANIZATION:
VT. Div. for Historic Preservation

DATE RECORDED:
6/23/78



OF VERMONT
 Division for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

COUNTY: Chittenden
 TOWN: Burlington
 LOCATION:
 16 Murray St.
 COMMON NAME:
 FUNCTIONAL TYPE: dwelling
 OWNER: Edward A. & Carol N. Farrell
 ADDRESS:
 ACCESSIBILITY TO PUBLIC:
 Yes No Restricted
 LEVEL OF SIGNIFICANCE:
 Local State National

SURVEY NUMBER:
 NEGATIVE FILE NUMBER:
 78-A-146
 UTM REFERENCES:
 Zone/Easting/Northing
 U.S.G.S. QUAD. MAP:
 PRESENT FORMAL NAME:
 ORIGINAL FORMAL NAME:
 PRESENT USE: apartment
 ORIGINAL USE: residence
 ARCHITECT/ENGINEER:
 BUILDER/CONTRACTOR:
 PHYSICAL CONDITION OF STRUCTURE:
 Excellent Good
 Fair Poor
 STYLE: Greek Revival
 DATE BUILT: c. 1850

GENERAL DESCRIPTION:
 Structural System
 1. Foundation: Stone Brick Concrete Concrete Block
 2. Wall Structure
 a. Wood Frame: Post & Beam Balloon
 b. Load Bearing Masonry: Brick Stone Concrete
 Concrete Block
 c. Iron d. Steel e. Other:
 3. Wall Covering: Clapboard Board & Batten Wood Shingle
 Shiplap Novelty Asbestos Shingle Sheet Metal
 Aluminum Asphalt Shingle Brick Veneer Stone Veneer
 Bonding Pattern: Other:
 4. Roof Structure
 a. Truss: Wood Iron Steel Concrete
 b. Other:
 5. Roof Covering: Slate Wood Shingle Asphalt Shingle
 Sheet Metal Built Up Rolled Tile Other:
 6. Engineering Structure:
 7. Other:
 Appendages: Porches Towers Cupolas Dormers Chimneys
 Sheds Ells Wings Bay Window Other:
 Roof Style: Gable Hip Shed Flat Mansard Gambrel
 Jerkinhead Saw Tooth With Monitor With Bellcast
 With Parapet With False Front Other:
 Number of Stories: 2
 Number of Bays: 3
 Approximate Dimensions: _____ Entrance Location: right

THREAT TO STRUCTURE:
 No Threat Zoning Roads
 Development Deterioration
 Alteration Other:

LOCAL ATTITUDES:
 Positive Negative
 Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - Gable end orientation. Rectangular block with two story enclosed side porches on south elevation. Gable returns. Shed wall dormers on both sides of roof.

Fenestration - 1/1 sash, plain surround. Gable window.

Entrance - 3/4 length sidelights with panels beneath. Pilasters flank door supporting an entablature with projecting cornice.

RELATED STRUCTURES: (Describe)

Clapboarded gable ended, 1 1/2 story carriage shed.


STATEMENT OF SIGNIFICANCE:

This early worker's dwelling was probably built c. 1860. The 1869 Beers Atlas lists it as the property of prominent blacksmiths/carriage makers/patriarchs Alex Diette and John Robarge. Whether it was a home or shop is unclear. By 1890 it was a rental property of lawyer C. J. Alger, who lived across the street. In 1901 the tenant was Tom Wheeler, a laborer in the J. R. Booth lumber yards. Although simple in massing and style, it still projects a feeling of solidness, especially in comparison to later workers' tenements in the area.

REFERENCES:

1869, 1890, Sanborn maps.

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

Open Land Woodland
Scattered Buildings
Moderately Built Up
Densely Built Up
Residential Commercial
Agricultural Industrial
Roadside Strip Development
Other:

RECORDED BY:

C. Richard Morsbach

ORGANIZATION:

VT. Div. for Historic Preservation

DATE RECORDED:

6/23/78



OF VERMONT
 Commission for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

COUNTY: Chittenden
 TOWN: Burlington
 LOCATION: 17-19 Murray St.
 COMMON NAME:
 FUNCTIONAL TYPE: dwelling
 OWNER: John & Pat McDonald, & Harold
 ADDRESS: & Barbara Hill
 General Green Road, Shelburne
 ACCESSIBILITY TO PUBLIC:
 Yes No Restricted
 LEVEL OF SIGNIFICANCE:
 Local State National

GENERAL DESCRIPTION:
 Structural System
 1. Foundation: Stone Brick Concrete Concrete Block
 2. Wall Structure
 a. Wood Frame: Post & Beam Balloon
 b. Load Bearing Masonry: Brick Stone Concrete
 Concrete Block
 c. Iron d. Steel e. Other:
 3. Wall Covering: Clapboard Board & Batten Wood Shingle
 Shiplap Novelty Asbestos Shingle Sheet Metal
 Aluminum Asphalt Shingle Brick Veneer Stone Veneer
 Bonding Pattern: common Other:
 4. Roof Structure
 a. Truss: Wood Iron Steel Concrete
 b. Other:
 5. Roof Covering: Slate Wood Shingle Asphalt Shingle
 Sheet Metal Built Up Rolled Tile Other:
 6. Engineering Structure:
 7. Other:
 Appendages: Porches Towers Cupolas Dormers Chimneys
 Sheds Ells Wings Bay Window Other:
 Roof Style: Gable Hip Shed Flat Mansard Gambrel
 Jerkinhead Saw Tooth With Monitor With Bellcast
 With Parapet With False Front Other:
 Number of Stories: 2
 Number of Bays: 4
 Approximate Dimensions: _____

SURVEY NUMBER:
 NEGATIVE FILE NUMBER:
 78-A-145
 UTM REFERENCES:
 Zone/Easting/Northing
 U.S.G.S. QUAD. MAP:
 PRESENT FORMAL NAME:
 ORIGINAL FORMAL NAME:
 PRESENT USE: apartments
 ORIGINAL USE: apartment/twin
 ARCHITECT/ENGINEER:
 BUILDER/CONTRACTOR:
 PHYSICAL CONDITION OF STRUCTURE:
 Excellent Good
 Fair Poor
 STYLE: Queen Anne
 DATE BUILT: c. 1894-1900

THREAT TO STRUCTURE:
 No Threat Zoning Roads
 Development Deterioration
 Alteration Other:

LOCAL ATTITUDES:
 Positive Negative
 Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - Square block.

Fenestration - 1/1 sash. Paired windows. Segmental arches with radiating soldier voussoirs wood sills.

Entrances - On both sides of the block, entries are recessed porches with posts and spindle screens.

Enrichments - Corbelled brick cornice with offset headers forming a decorative sawtooth pattern.

RELATED STRUCTURES: (Describe)

2 story flat roofed horse and carriage shed in rear. Clapboarded.


STATEMENT OF SIGNIFICANCE:

A commercial style, Queen Anne double house. Many of these late Queen Annes and Colonial Revivals were constructed out of the same brick. Distinctive features include a decorative brick cornice and Queen Anne sash.

REFERENCES:

Sanborns, directories.

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

Open Land Woodland
Scattered Buildings
Moderately Built Up
Densely Built Up
Residential Commercial
Agricultural Industrial
Roadside Strip Development
Other:

RECORDED BY:


C. Richard Morsbach

ORGANIZATION:

Vt. Div. for Historic Preservation

DATE RECORDED:

6/23/78



Historic Preservation
Montpelier 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

COUNTY: Chittenden
 TOWN: Burlington
 LOCATION: 28 Murray St.
 COMMON NAME:
 FUNCTIONAL TYPE: dwelling
 OWNER: Leonard W. & Marie Lafayette
 ADDRESS: 28 Murray St.
 ACCESSIBILITY TO PUBLIC:
 Yes No Restricted
 LEVEL OF SIGNIFICANCE:
 Local State National

SURVEY NUMBER:
 NEGATIVE FILE NUMBER:
 78-A-146
 UTM REFERENCES:
 Zone/Easting/Northing
 U.S.G.S. QUAD. MAP:
 PRESENT FORMAL NAME:
 ORIGINAL FORMAL NAME:
 PRESENT USE: residence
 ORIGINAL USE: residence
 ARCHITECT/ENGINEER:
 BUILDER/CONTRACTOR:
 PHYSICAL CONDITION OF STRUCTURE:
 Excellent Good
 Fair Poor
 STYLE: Italianate
 DATE BUILT: 1868

GENERAL DESCRIPTION:
 Structural System
 1. Foundation: Stone Brick Concrete Concrete Block
 2. Wall Structure
 a. Wood Frame: Post & Beam Balloon
 b. Load Bearing Masonry: Brick Stone Concrete
 Concrete Block
 c. Iron d. Steel e. Other:
 3. Wall Covering: Clapboard Board & Batten Wood Shingle
 Shiplap Novelty Asbestos Shingle Sheet Metal
 Aluminum Asphalt Shingle Brick Veneer Stone Veneer
 Bonding Pattern: Other:
 4. Roof Structure
 a. Truss: Wood Iron Steel Concrete
 b. Other:
 5. Roof Covering: Slate Wood Shingle Asphalt Shingle
 Sheet Metal Built Up Rolled Tile Other:
 6. Engineering Structure:
 7. Other:
 Appendages: Porches Towers Cupolas Dormers Chimneys
 Sheds Ells Wings Bay Window Other:
 Roof Style: Gable Hip Shed Flat Mansard Gambrel
 Jerkinhead Saw Tooth With Monitor With Bellcast
 With Parapet With False Front Other:
 Number of Stories: 1½
 Number of Bays: 2 Entrance Location: right
 Approximate Dimensions:

THREAT TO STRUCTURE:
 No Threat Zoning Roads
 Development Deterioration
 Alteration Other:

LOCAL ATTITUDES:
 Positive Negative
 Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - Gable end orientation. Rectangular block with flat roofed side wing and one story gable addition with shed in rear. Gable returns, boxed cornice.
Fenestration - 2/2, sash. First floor windows have plain architrave and sills with feet. Second story gable end windows are round headed with drip mold and sills with feet.
Entrance - On one story flat roofed wing. 1 x 1 bay entrance porch, turned posts with brackets.
Enrichments - Oculus motifs on north elevation, painted white for added contrast against green clapboarding.

RELATED STRUCTURES: (Describe)

1 1/2 story, gable ended, clapboarded carriage and horse shed.

STATEMENT OF SIGNIFICANCE:

This modest house makes a significant contribution to the residential character of Murray St. The decorative detailing on the exterior makes this house a distinctive part of the neighborhood.

It was probably built right after the Civil War for George Curtis, a clerk at Hagar Hardware. It was part of the massive growth of the entire North End during the boom years of the lumber industry. From 1888-1903 it was the home of Frank Joachin, foreman of the E. B. & A. C. Whiting Brush plant.

REFERENCES:

1869, 1890, Sanborn maps; directories.

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Roadside Strip Development
- Other:

RECORDED BY:


C. Richard Morsbach

ORGANIZATION:

VT. Div. for Historic Preservation

DATE RECORDED:

6/23/78



OF VERMONT
 Commission for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

COUNTY: Chittenden
 TOWN: Burlington
 LOCATION: 29 Murray St.
 COMMON NAME:
 FUNCTIONAL TYPE: dwelling
 OWNER: Alfred V. & Margaret Couture
 ADDRESS: 29 Murray St.
 ACCESSIBILITY TO PUBLIC:
 Yes No Restricted
 LEVEL OF SIGNIFICANCE:
 Local State National

SURVEY NUMBER:
 NEGATIVE FILE NUMBER: 78-A-146
 UTM REFERENCES:
 Zone/Easting/Northing
 U.S.G.S. QUAD. MAP:
 PRESENT FORMAL NAME:
 ORIGINAL FORMAL NAME:
 PRESENT USE: apartments
 ORIGINAL USE: residence
 ARCHITECT/ENGINEER:
 BUILDER/CONTRACTOR:
 PHYSICAL CONDITION OF STRUCTURE:
 Excellent Good
 Fair Poor
 STYLE: Greek Revival
 DATE BUILT: 1840

GENERAL DESCRIPTION:
 Structural System
 1. Foundation: Stone Brick Concrete Concrete Block
 2. Wall Structure
 a. Wood Frame: Post & Beam Balloon
 b. Load Bearing Masonry: Brick Stone Concrete
 Concrete Block
 c. Iron d. Steel e. Other:
 3. Wall Covering: Clapboard Board & Batten Wood Shingle
 Shiplap Novelty Asbestos Shingle Sheet Metal
 Aluminum Asphalt Shingle Brick Veneer Stone Veneer
 Bonding Pattern: common Other:
 4. Roof Structure
 a. Truss: Wood Iron Steel Concrete
 b. Other:
 5. Roof Covering: Slate Wood Shingle Asphalt Shingle
 Sheet Metal Built Up Rolled Tile Other:
 6. Engineering Structure:
 7. Other:
 Appendages: Porches Towers Cupolas Dormers Chimneys
 Sheds Ells Wings Bay Window Other:
 Roof Style: Gable Hip Shed Flat Mansard Gambrel
 Jerkinhead Saw Tooth With Monitor With Bellcast
 With Parapet With False Front Other:
 Number of Stories: 2½
 Number of Bays: 3 Entrance Location: left
 Approximate Dimensions:

THREAT TO STRUCTURE:
 No Threat Zoning Roads
 Development Deterioration
 Alteration Other:

LOCAL ATTITUDES:
 Positive Negative
 Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - Pediment gable front orientation. L plan with ell being added at a much later date. 2 story enclosed porch in crook of L. Boxed cornice. 2 story aluminum sided shed rear of main rectangular block.

Fenestration - 1/1 sash. Flat arches, wood sills, gable window.

Entrance - Recessed, granite lintel fluted pilasters support an entablature with a denticular cornice. Granite sills 3/4 length sidelights and panels with applied moldings. 4 paneled Greek Revival door.

Interior - Greek Revival newell, peaked lintels over doors.

RELATED STRUCTURES: (Describe)

STATEMENT OF SIGNIFICANCE:

A common, Burlington, Greek Revival house type characterized by a three bay pedimented facade with side hall entrance and pointed arch gable window. Outstanding features on this house include the sidelighted entrance and door.

It was the home of Jesse Hubbard from before 1865 to 1889. It was surrounded by open fields when it was built in the 1840's.

REFERENCES:

1853, 1869, 1890, Sanborn maps; directories.

MAP: (Indicate North in Circle)




SURROUNDING ENVIRONMENT:

Open Land Woodland
Scattered Buildings
Moderately Built Up
Densely Built Up
Residential Commercial
Agricultural Industrial
Roadside Strip Development
Other:

RECORDED BY:
C. Richard Morsbach

ORGANIZATION:
VT. Div. for Historic Preservation

DATE RECORDED: 6/23/78



OF VERMONT
Commission for Historic Preservation
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

SURVEY NUMBER:
 NEGATIVE FILE NUMBER:
 78-A-146
 UTM REFERENCES:
 Zone/Easting/Northing
 U.S.G.S. QUAD. MAP:
 PRESENT FORMAL NAME:
 ORIGINAL FORMAL NAME:
 PRESENT USE: apartments
 ORIGINAL USE: residence
 ARCHITECT/ENGINEER:
 BUILDER/CONTRACTOR:
 PHYSICAL CONDITION OF STRUCTURE:
 Excellent Good
 Fair Poor
 STYLE: Greek Revival
 DATE BUILT: c. 1860

COUNTY: Chittenden
 TOWN: Burlington
 LOCATION:
 41 Murray St.
 COMMON NAME:
 FUNCTIONAL TYPE: dwelling
 OWNER: Bruno & Marjorie Trahan
 ADDRESS: 160 North Prospect
 ACCESSIBILITY TO PUBLIC:
 Yes No Restricted
 LEVEL OF SIGNIFICANCE:
 Local State National

GENERAL DESCRIPTION:
 Structural System
 1. Foundation: Stone Brick Concrete Concrete Block
 2. Wall Structure
 a. Wood Frame: Post & Beam Balloon
 b. Load Bearing Masonry: Brick Stone Concrete
 Concrete Block
 c. Iron d. Steel e. Other:
 3. Wall Covering: Clapboard Board & Batten Wood Shingle
 Shiplap Novelty Asbestos Shingle Sheet Metal
 Aluminum Asphalt Shingle Brick Veneer Stone Veneer
 Bonding Pattern: Other:
 4. Roof Structure
 a. Truss: Wood Iron Steel Concrete
 b. Other:
 5. Roof Covering: Slate Wood Shingle Asphalt Shingle
 Sheet Metal Built Up Rolled Tile Other:
 6. Engineering Structure:
 7. Other:
 Appendages: Porches Towers Cupolas Dormers Chimneys
 Sheds Ells Wings Bay Window Other:
 Roof Style: Gable Hip Shed Flat Mansard Gambrel
 Jerkinhead Saw Tooth With Monitor With Bellcast
 With Parapet With False Front Other:
 Number of Stories: 1½
 Number of Bays: 3 Entrance Location: left
 Approximate Dimensions:

THREAT TO STRUCTURE:
 No Threat Zoning Roads
 Development Deterioration
 Alteration Other:

LOCAL ATTITUDES:
 Positive Negative
 Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - Gable end orientation. Rectangular block with 1 1/2 story rear gable sided addition. An intrusive 2 story enclosed porch on south elevation with shed roof. Shed on rear.
Fenestration - 2/2 sash plain surround, wood sills. 3 part window on first floor facade.
Entrance - 3/4 length sidelights with panels beneath. Pilaster strips support entablature with projecting cornice.

RELATED STRUCTURES: (Describe)


STATEMENT OF SIGNIFICANCE:

A modest, frame, Greek Revival house, this makes a significant contribution to the small house, residential character of Murray St. Built between 1853 and 1869, it was probably the home of a skilled worker, perhaps in a waterfront lumber industry.

REFERENCES:

1869, 1890, Sanborn maps.

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Roadside Strip Development
- Other:

RECORDED BY:
C. Richard Morsbach

ORGANIZATION:
VT. Div. for Historic Preservation

DATE RECORDED:
6/23/78



18-77-1
 OF VERMONT
 Commission for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

COUNTY: Chittenden
 TOWN: Burlington
 LOCATION: 44 Murray St.
 COMMON NAME:
 FUNCTIONAL TYPE: dwelling
 OWNER: Bruno J. & Marjorie R. Trahan
 ADDRESS: 160 North Prospect
 ACCESSIBILITY TO PUBLIC:
 Yes No Restricted
 LEVEL OF SIGNIFICANCE:
 Local State National

SURVEY NUMBER:
 NEGATIVE FILE NUMBER:
 78-A-146
 UTM REFERENCES:
 Zone/Easting/Northing
 U.S.G.S. QUAD. MAP:
 PRESENT FORMAL NAME:
 ORIGINAL FORMAL NAME:
 PRESENT USE: apartment
 ORIGINAL USE: residence
 ARCHITECT/ENGINEER:
 BUILDER/CONTRACTOR:
 PHYSICAL CONDITION OF STRUCTURE:
 Excellent Good
 Fair Poor
 STYLE: Italianate
 DATE BUILT: c. 1860

GENERAL DESCRIPTION:
 Structural System
 1. Foundation: Stone Brick Concrete Concrete Block
 2. Wall Structure
 a. Wood Frame: Post & Beam Balloon
 b. Load Bearing Masonry: Brick Stone Concrete
 Concrete Block
 c. Iron d. Steel e. Other:
 3. Wall Covering: Clapboard Board & Batten Wood Shingle
 Shiplap Novelty Asbestos Shingle Sheet Metal
 Aluminum Asphalt Shingle Brick Veneer Stone Veneer
 Bonding Pattern: Other:
 4. Roof Structure
 a. Truss: Wood Iron Steel Concrete
 b. Other:
 5. Roof Covering: Slate Wood Shingle Asphalt Shingle
 Sheet Metal Built Up Rolled Tile Other:
 6. Engineering Structure:
 7. Other:
 Appendages: Porches Towers Cupolas Dormers Chimneys
 Sheds Ells Wings Bay Window Other:
 Roof Style: Gable Hip Shed Flat Mansard Gambrel
 Jerkinhead Saw Tooth With Monitor With Bellcast
 With Parapet With False Front Other:
 Number of Stories: 2
 Number of Bays: 3
 Approximate Dimensions: _____ Entrance Location: right

THREAT TO STRUCTURE:
 No Threat Zoning Roads
 Development Deterioration
 Alteration Other:
 LOCAL ATTITUDES:
 Positive Negative
 Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - Gable end orientation, L plan. One story wing on north elevation. 2 story porch on south elevation.
Fenestration - 2/2 sash, peaked architrave surround. Wood sills.
Entrance - 3/4 length sidelights, panels with applied moldings beneath. Paneled door with light.
Enrichment - Corbelled chimney cap.

RELATED STRUCTURES: (Describe)


STATEMENT OF SIGNIFICANCE:

This house makes a significant contribution to the small house character of Murray St. It was probably built during or shortly after the Civil War for Louis Robarge, a blacksmith and carriagemakers, and one of a large family in this neighborhood, all employed in that trade. The Robarge family lived here until nearly the turn of the century. They typified the type of industrious, skilled workers who developed much of the North End in the post-war lumber boom.

REFERENCES:

1869, 1890, Sanborn maps; directories.

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

Open Land Woodland
Scattered Buildings
Moderately Built Up
Densely Built Up
Residential Commercial
Agricultural Industrial
Roadside Strip Development
Other:

RECORDED BY:
C. Richard Morsbach

ORGANIZATION:
VT. Div. for Historic Preservation

DATE RECORDED:

6/23/78



OF VERMONT
 Commission for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

COUNTY: Chittenden
 TOWN: Burlington
 LOCATION: 53-55 Murray St.
 COMMON NAME:
 FUNCTIONAL TYPE: dwelling
 OWNER: Donald A. & Dorothy S. Brown
 ADDRESS:
 ACCESSIBILITY TO PUBLIC:
 Yes No Restricted
 LEVEL OF SIGNIFICANCE:
 Local State National

SURVEY NUMBER:
 NEGATIVE FILE NUMBER:
 78-A-146
 UTM REFERENCES:
 Zone/Easting/Northing
 U.S.G.S. QUAD. MAP:
 PRESENT FORMAL NAME:
 ORIGINAL FORMAL NAME:
 PRESENT USE: apartment
 ORIGINAL USE: residence
 ARCHITECT/ENGINEER:
 BUILDER/CONTRACTOR:
 PHYSICAL CONDITION OF STRUCTURE:
 Excellent Good
 Fair Poor
 STYLE: Greek Revival
 DATE BUILT: c. 1868

GENERAL DESCRIPTION:
 Structural System
 1. Foundation: Stone Brick Concrete Concrete Block
 2. Wall Structure
 a. Wood Frame: Post & Beam Balloon
 b. Load Bearing Masonry: Brick Stone Concrete
 Concrete Block
 c. Iron d. Steel e. Other:
 3. Wall Covering: Clapboard Board & Batten Wood Shingle
 Shiplap Novelty Asbestos Shingle Sheet Metal
 Aluminum Asphalt Shingle Brick Veneer Stone Veneer
 Bonding Pattern: Other:
 4. Roof Structure
 a. Truss: Wood Iron Steel Concrete
 b. Other:
 5. Roof Covering: Slate Wood Shingle Asphalt Shingle
 Sheet Metal Built Up Rolled Tile Other:
 6. Engineering Structure:
 7. Other:
 Appendages: Porches Towers Cupolas Dormers Chimneys
 Sheds Ells Wings Bay Window Other:
 Roof Style: Gable Hip Shed Flat Mansard Gambrel
 Jerkinhead Saw Tooth With Monitor With Bellcast
 With Parapet With False Front Other:
 Number of Stories: 1 1/2
 Number of Bays: 2 Entrance Location: left
 Approximate Dimensions: _____

THREAT TO STRUCTURE:
 No Threat Zoning Roads
 Development Deterioration
 Alteration Other:

LOCAL ATTITUDES:
 Positive Negative
 Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - Gable end orientation. Rectangular block with flat roofed 2 story rear addition. 2 x 2 bay front and side porch. 1 story canted bay. Interior end chimneys.

Fenestration - 2/2, 1/1 sash. Plain architrave.

Entrance - 3/4 length sidelights with panels. Pilasters support entablature.

Enrichments - Brackets, square columns, corner boards.

RELATED STRUCTURES: (Describe)

Gable ended, clapboarded carriage/horse barn.


STATEMENT OF SIGNIFICANCE:

This simple worker's house was built c. 1868 for Stephen Taylor, who painted furniture for many years at Henry Nelson's furniture factory. Taylor typified the kind of skilled worker that settled and built the North End in the post-Civil War lumber boom. The Taylors lived here until 1910.

REFERENCES:

1869, 1890, Sanborn maps; directories.

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

Open Land Woodland
Scattered Buildings
Moderately Built Up
Densely Built Up
Residential Commercial
Agricultural Industrial
Roadside Strip Development
Other:

RECORDED BY:

C. Richard Morsbach

ORGANIZATION:

VT. Div. for Historic Preservation

DATE RECORDED:

6/23/78



OF VERMONT
 Division for Historic Preservation
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

COUNTY: Chittenden
 TOWN: Burlington
 LOCATION: 59 Murray St.
 COMMON NAME:
 FUNCTIONAL TYPE: dwelling
 OWNER: Antoinette Viens
 ADDRESS: 59 Murray St.
 ACCESSIBILITY TO PUBLIC:
 Yes No Restricted
 LEVEL OF SIGNIFICANCE:
 Local State National

SURVEY NUMBER:
 NEGATIVE FILE NUMBER:
 78-A-146
 UTM REFERENCES:
 Zone/Easting/Northing
 U.S.G.S. QUAD. MAP:
 PRESENT FORMAL NAME:
 ORIGINAL FORMAL NAME:
 PRESENT USE: apartment
 ORIGINAL USE: residence
 ARCHITECT/ENGINEER:
 BUILDER/CONTRACTOR:
 PHYSICAL CONDITION OF STRUCTURE:
 Excellent Good
 Fair Poor
 STYLE: Italianate
 DATE BUILT: 1870

GENERAL DESCRIPTION:
 Structural System
 1. Foundation: Stone Brick Concrete Concrete Block
 2. Wall Structure
 a. Wood Frame: Post & Beam Balloon
 b. Load Bearing Masonry: Brick Stone Concrete
 Concrete Block
 c. Iron d. Steel e. Other:
 3. Wall Covering: Clapboard Board & Batten Wood Shingle
 Shiplap Novelty Asbestos Shingle Sheet Metal
 Aluminum Asphalt Shingle Brick Veneer Stone Veneer
 Bonding Pattern: Other:
 4. Roof Structure
 a. Truss: Wood Iron Steel Concrete
 b. Other:
 5. Roof Covering: Slate Wood Shingle Asphalt Shingle
 Sheet Metal Built Up Rolled Tile Other:
 6. Engineering Structure:
 7. Other:
 Appendages: Porches Towers Cupolas Dormers Chimneys
 Sheds Ells Wings Bay Window Other:
 Roof Style: Gable Hip Shed Flat Mansard Gambrel
 Jerkinhead Saw Tooth With Monitor With Bellcast
 With Parapet With False Front Other:
 Number of Stories: 1½
 Number of Bays: 3 Entrance Location: left
 Approximate Dimensions:

THREAT TO STRUCTURE:
 No Threat Zoning Roads
 Development Deterioration
 Alteration Other:

LOCAL ATTITUDES:
 Positive Negative
 Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Massing - Gable end orientation. Rectangular block with shed on rear. Side porch and wing on south elevation.

Fenestration - 2/2 sash. Round headed windows on second floor facade with drip mold and shouldered surround. Plain architrave on rest of house. All windows have wood sills with feet.

Entrance - Plain surround, undistinguished.

Enrichment - Oculus motif on north elevation.

This house is similar in styling to 28 Murray St.

RELATED STRUCTURES: (Describe)


STATEMENT OF SIGNIFICANCE:

This house maintains the small house character and rhythm of Murray St. It is very similar to #28 Murray St. with window head and oculus motifs being nearly identical.

REFERENCES:

1890, Sanborns, directories.

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

Open Land Woodland
Scattered Buildings
Moderately Built Up
Densely Built Up
Residential Commercial
Agricultural Industrial
Roadside Strip Development
Other:

RECORDED BY:
C. Richard Morsbach

ORGANIZATION:
VT. Div. for Historic Preservation

DATE RECORDED:
6/23/78